



OBJECT EQUIPMENT

OUTDOORS

OUTDOOR FURNITURE




PRODUCT CATALOGUE VOL. 2





TWO-SIDED CATALOGUE
OBJECT EQUIPMENT
INDOORS

COLOUR VARIANTS FOR OUTDOORS

Standard colours I* Including graffiti-resistant coating





WELCOME TO ERLAU OBJECT EQUIPMENT OUTDOORS

Guided by a concept of universal design, Erlau object equipment sets the standard for quality, functionality and ergonomics in modern indoor and outdoor installations.

A combination of aesthetics and design, comfort and flexibility, protection against vandalism and durability is key to today's concept of modern outdoor furniture.

City centres, public waiting areas and relaxing parks they all make their own, different demands on the outdoor furniture of the future.

Erlau has been facing this challenge for decades, setting increasingly stringent standards for product development, materials and quality assurance.

In order to offer our clients the right solutions for their needs, we place great weight on professional individual consultancy.

No matter whether you are a community, an industrial facility or a transport company, a residential clinic or a private pool – our sales teams are fully prepared to meet your requirements.

CONTACT

WE ARE HERE
TO HELP.

GERMANY

Erlau AG
Erlau 16
73431 Aalen
Tel. +49 7361 595-0
Fax +49 7361 595-3017
objekteinrichtung@erlau.com
www.erlau-objekteinrichtung.de

SWITZERLAND

Union GmbH Qualitätsketten
Erlenstrasse 27
2555 Brügg
Tel.: +41 32 341 2725
Fax: +41 32 342 5609
sales@kettenunion.ch
http://www.kettenunion.ch

AUSTRIA

ERLAU in Österreich GmbH
Wenger Straße 3
5203 Köstendorf bei Salzburg
Tel.: +41 6216 20210-12
Fax: +41 6216 2021060
info@erlau.at
www.erlau.at





ERLAU GENERAL INFORMATION

Page		Page		Page	
6 – 7	Erlau History 1828 – today	15	Graffiti-resistant coating	234 – 235	Consultancy and Service
6 – 7	RUD Mission	16 – 17	10 Reasons To Choose Erlau	236 – 237	The latest manufacturing and surface treatment
8	Erlau Configurator	18 – 19	References	238	Contact
9	Erlau B2B E-Shop			239	Erlau Warranty Terms
10 – 14	Erlau Materials			240	Delivery and payment terms

BENCHES

27 – 27	Introduction: benches
28 – 69	Bench products
70 – 72	Bench components
73 – 75	Bench configuration options
76 – 83	Intersit Classit

SUN LOUNGERS

158 – 159	Introduction: sun loungers
160 – 165	Sun lounge products

BOLLARDS & PLANTERS

202 – 203	Introduction: bollards and planters
204 – 205	Bollard and planter products

SEAT SYSTEMS

84 – 89	Introduction: seat systems
90 – 109	Seat system products
110 – 111	Seat system components
112 – 125	Olympia Nova and Olympia

LITTER BINS

166 – 167	Introduction: Litter bins
168 – 173	Modular litter bins
174 – 193	Litter bin products

VITAGARDEN®

206 – 209	Vitagarden® products
-----------	----------------------

TABLES / CHAIRS / COMBINATIONS

126 – 131	Introduction: combinations
132 – 141	Combination products
142 – 143	Combination components
144 – 154	Tables
155 – 157	Chairs

BICYCLE PARKING SYSTEMS

195	Introduction: bicycle parking systems
196 – 201	Bicycle parking system products

VITAGYM®

210 – 215	Introduction: Vitagym®
216 – 233	Vitagym® products

Colours depend on the printing process and may differ from the original.

We reserve the right to change our product technology and design as well as prices.



ERLAU AG 1828 – TODAY

Founded as
copper device company
"Betzler, Fürgang
und Co." on the
"Erlen-Au".

It becomes the first factory
in South Germany
to manufacture chains.

Conversion of a business
partnership into a public
limited company with an
initial share capital of
250,000 guilders.

With the first snow chains,
Erlau AG is one of the
major manufacturers
across Germany

Start of the
production
of garden and
terrace furniture.

1828

1851

1870

1924

1956

RUD MISSION

WHO WE ARE AND WHAT WE DO

- The RUD Group is a dynamic, global and modern family group. Our goal is continuous, profitable growth with a view to protecting resources and the environment.
- We strive to achieve a leading position with our products and services in our market segments by leveraging on organisational and operational excellence.

- Starting from round steel chains and making the most of our 140 years of experience, we develop pioneering solution concepts with chain systems and components in a variety of shapes and for diverse areas of application.
- We see our products as the result of our passion for creativity and perfection obtained by making good use of our core skills – reshaping, welding, heat treatment, surface treatment, forging and machining.



In the design and ideas competition for the Olympic Park, Erlau AG developed the Olympia Nova seating system unit on the occasion of the 1972 Olympic Summer Games in Munich.

Erlau AG becomes part of the RUD family group.

Start of the production of products for barrier-free sanitary equipment.

Development and production of the "VitaGym" motion device series.

With "Vita Garden," the mobile sensory garden for the nursing care field, Erlau AG develops and produces table beds.

Introduction of new handle and restraint systems.

1972

1988

1991

2009

2011

2015



■ The long-term partnership with our customers, their satisfaction and confidence in us are the focus of everything we do. We vouch for customer-oriented, innovative value-added technology as well as top, consistent quality and safety. This means common responsibility, a commitment which we all share.

■ Through our actively experienced, open and rusting corporate culture, as well as ongoing training and education, our international family enterprise is a motivated, powerful, flexible and competent team.

■ Our established principle of "Courtesy of Choice" reflects the centuries-old philosophy that recognises differences and allows them to simultaneously and harmoniously coexist.





TRANSPARENCY AND STABILITY

Our wire mesh is the traditional distinctive feature of many Erlau furniture items. It has been manufactured in the highest quality in our Aalen company for more than 50 years – from wire pulling through to the finished product.

In the process, we are therefore capable of implementing special features such as the so-called “mesh reinforcement” for areas where less transparency and more stability are desired.

ADVANTAGES WIRE MESH

Non-porous, smooth Rilsan surface
with graffiti-resistant coating

Vandalism-resistant

Dirt rolls off or flows simply away with rain,
therefore excellent cleanliness is ensured.

Extremely fast drying and thus always usable

A simple wipe is all it takes to clean painted, varnished,
resin and glued surfaces

Weather resistance

10-year rustproofing guarantee

Our coating thickness of 350 µm
creates a thermal insulation that
ensures a pleasant seat temperature all year round

Specific stability through mesh reinforcement



DURABILITY AND QUALITY

In order to meet the high demands on durability and quality also arising for using wood, we employ Pagwood, a branded product.

This is a resin-soaked wood-core plywood made of wafer-thin veneer of the indigenous copper-beech tree.



ADVANTAGES PAGWOOD

Shiny,
stable surface



FSC-certified

Low flammability

Resistant to chemicals and solvents,
thus easy cleaning

No absorption of moisture,
therefore quickly usable even after a downpour

Combines the aesthetics and warmth of wood
with the durability of steel – while
remaining flexible and extremely durable

Low maintenance: Depending on the weather effects,
it is sufficient to clean and treat the Pagwood with
"Polish Rosa" by 3M about once a year
to obtain a shiny surface

Vandalism-resistant



HARDNESS AND TENSILE STRENGTH

Bamboo has had outstanding importance as a raw and building material among the Chinese for thousands of years now; also in Europe, thanks to its positive properties, it is becoming increasingly important. Bamboo is characterised by enormous hardness and tensile strength combined with high elasticity, which is an equally rare and advantageous combination. It grows by up to 30 cm per day, can be harvested after only 5 years and is therefore an extremely sustainable resource.

ADVANTAGES BAMBOO



Long-term high colour stability

Defibrated and carbonised bamboo is "cooked", thereby sugar fractions are withdrawn and thus also the breeding ground for microorganisms and substance destroying fungi eliminated

Pressing the fibers with glue under extremely high pressure and heat results in high density, therefore extremely durable and vandalism-resistant

Reduced water absorption

Shrinkage and swelling behaviour tends to zero

Resistant to heat and frost

Durability class 1 (very good)



INNOVATION AND SUSTAINABILITY

Innovative material that is made from recycled plastic products, in particular secondary raw materials resulting from manufacturing or consumer waste. The result is an impressive resilient, sturdy material. Planks are dimensionally stable thanks to steel reinforcements.



ADVANTAGES RECYCLED PLASTIC

Maintenance-free

Moisture resistant, no water absorption,
Fast drying

Maintenance-free No equipment investment required
for e.g. brushing, painting or sanding

Long service life

Resistant to oils, alkalis, acids and salt water

Vandalism-resistant and dimensionally
stable thanks to steel reinforcement

UV-resistant

The material consists of secondary plastics,
specifically polyolefin blends (mixture
of polyethylene (LDPE / HDPE) and polypropylene (PP))
with a material degree of purity > 95%.
As a result, environmental resources are protected.





NATURE

Larch is the heaviest and hardest wood among European conifer trees.

Compared to other conifer tree species, larch has very good strength values, high toughness and a low swelling and shrinkage behaviour.

ADVANTAGES LARCH

Its high resin content ensures good weather resistance and durability

FSC-certified

Natural material without chemical additives

"Alive" material with an interesting pattern

Very suitable for playgrounds with play equipment made of wood

Free possibility of leaving panels in their natural state or painting, varnishing or coating them

Due to its very good strength and elasticity properties, the wood warps only slightly and therefore retains its original shape.





COATING

To best protect your furniture, you can get a graffiti-resistant coating **in standard colours 1 from Erlau.**

This means that all kinds of graffiti and sprays can be removed with biodegradable paint removal products. Stickers can also be easily removed. Moreover, this additional coating ensures increased protection against dust and air pollution.

These impurities are then usually simply washed away by rain. One more benefit is that Erlau furniture dries off even faster after a downpour.

Erlau graffiti-resistant coating is effective against resin and lacquers, glues and dirt – it being entirely weather proof and easy to clean. The perfect solution to graffiti vandalism.

PROTECT YOUR FURNITURE!




10 REASONS WHY YOU SHOULD...




- Thanks to our modular system, you can combine feet and seat parts and/or our various materials to your taste
- Individual design of benches, tables, seat/table combinations, litter bins
- Adjustable seat inclination



- The Erlau furniture is vortex sintered and has an extreme layer thickness of min. 350 µm.
- The surface is thus water-repellent
- Usable all year round thanks to thermal insulation



- While manufacturing our products, we pay special attention to the best possible protection against wanton destruction: Reinforced wire mesh seat and back rests as well as wire ends that are partially enclosed into a special profile prevent wanton lifting.
- The metal frame edging can withstand extreme loads and protects against collision damage.



- The water-repellent surface acts against corrosion
- Therefore, we offer you a 10-year rustproofing guarantee.




- To best protect your furniture, you can get a graffiti-resistant coating in standard colours 1 from Erlau.
- This means that any kind of smearing can be eliminated with biodegradable paint removal products.

...DECIDE FOR ERLAU OUTDOOR FURNITURE




- High-quality raw materials.
- All the materials used by Erlau meet the highest quality demands with respect to sustainability, eco friendliness and durability.




- Thanks to the open wire mesh structure and the smooth surface, there is no water logging and moisture at all.
- Thanks to the pore-free and smooth Rilsan surface, excellent cleaning is possible even using high-pressure cleaners. In addition, susceptibility to contamination is very low. Rain results in a cleaning effect.



- Save your money with Erlau! The high quality and features of Erlau products ensure durability and stability.
- This means that much fewer repairs / new acquisitions and thus financial expenditures are necessary.



- Standardised interfaces allow easy assembly.
- If necessary, individual components can easily be replaced.



- By providing the highest quality of materials and precision during manufacturing at our Aalen plant, good stability can be ensured for our furniture.
- Various manufacturing processes, such as wire mesh reinforcement, also have a positive effect on stability.

AALEN AND THE WORLD

Object equipment all around the globe



Switzerland Central Railway, Quadri Style bench



Metrolinx, Canada, Vari Topsit seating unit



A8, Burgau Rest and Service Area, Parador seat/table combination



Mannheim Jewish cemetery, Stella Style bench



Outdoor pool in Ostalbkreis, Marina sun lounger with deposit system



Stuttgart condominium, Siena Harmony bench



Bern, Olympia Nova seating unit

GERMANY, AUSTRIA, SWITZERLAND






- Münster Railway Station
- Berlin-Ostkreuz Railway Station
- Mölln Railway Station
- Dresden Saxon Steamship Company
- Marina/ Harbour, Schapode
- Stuttgart Airport, Car Park / Bus Stops
- Hamburger Hochbahn
- Berlin Transport Authority
- Cologne Transport Authority
- Dresden Transport Authority
- A1, Lennhof Rest and Service Area
- A44, Hellweg-Nord Rest and Service Area
- A3, PWC Wellerbach-Wiesenthal
- A6, PWC Rothensteig
- SAP Centre, Walldorf
- Audi, Ingolstadt / Neckarsulm
- BMW AG, Munich
- Siemens AG, Nuremberg
- TOTAL Deutschland GmbH, Berlin
- Festo AG & Co. KG, Esslingen
- Bosch Siemens
- Penny-Markt GmbH, Norderstedt
- Ravensburger Playland, Ravensburg
- Badeparadies Schwarzwald, Titisee-Neustadt
- Robinson Club Fleesensee, Göhren-Lebbin
- Fächerbad, Karlsruhe
- WBG Housing Association „Amtsfeld“ eG, Berlin-Köpenick
- Hochschule Hannover
- Potsdam University
- Olympiapark, Munich
- Königstraße Pedestrian Zone, Stuttgart
- City Park and Lakeside Stage, Mannheim
- Park Cemetery, Essen
- Enzgärten Garden Show, Mühlacker
- Alla Hopp Facility, Sinsheim
- Rathausplatz, Würth
- Scholz-Arena, Aalen
- Caritas Nursing Home St. Josef, Nuremberg
- Caritas Archdiocese, Paderborn
- Austrian Railways (ÖBB)
- Minimundus, Klagenfurt
- BMW Motoren, Steyr
- Magistracy, Wien
- Barmherzigen Brüder Hospital, Salzburg
- For example: Swiss Central Railway, Switzerland
- Bernese Oberland Railway
- Regionalverkehr Bern-Solothurn RBS
- Münsingen Municipality, Switzerland
- Dietikon
- Oberburg Senior Centre
- Entlisberg Nursing Centre, Zurich

Hausgeräte GmbH, Dillingen
■ Josef Witt GmbH, Weiden

WORLDWIDE

- Leinelä station, Kehärata, Finland
- Jorv Hospital, Espoo, Finland
- Gosport Borough Council, UK
- East Midland Trains, UK
- Olympia Exhibition Centre, London, UK
- Morrisons Supermarket, Edgware Road, London, UK
- Dublin Dockland Authority, Dublin, Ireland
- Immigration Department, Hong Kong
- Swartnoz Airport, Jerewan, Armenia
- Bosch, Dubai
- Ole Bulls Plass, Bergen, Norway
- Niederranven Park Facility, Luxembourg
- Metrolinx, Canada
- Ioannina City Centre, Greece
- Doktorspromenade, Falkenberg, Sweden
- National Air & Space Museum, Washington, USA



				
VANDALISM RESISTANCE		Graffiti-resistant coating for standard colours 1		
OUTSTANDING COMFORT		Usable all year thanks to thermal insulation		
CORROSION PROTECTION		10 year rustproofing guarantee		
CLEANLINESS		Self-cleaning after rain showers		
CONFIGURING AND ORDERING ONLINE				

BENCHES

PRODUCT OVERVIEW

Online configurator p. 22 – 23

Individual parts/dimensions p. 24 – 27

Customisable
back rest p. 67

Erlau conversion kit p. 68 – 69

Components p. 70 – 72



SEAT PART

HARMONY WITH BACK REST

HARMONY WITHOUT BACK REST

STYLE WITH BACK REST

STYLE WITHOUT BACK REST

LENGTHS:

0.60 m – HARMONY

1.20 m – HARMONY

1.80 m – HARMONY + STYLE

VARIABLE ORIENTATION:

VERTICAL OR AT 4° ANGLE

ACCESSORY EQUIPMENT:

ANGLE CONNECTOR 15°

ANGLE CONNECTOR 45°

ADAPTER SET

GROUND ANCHOR SET

LENGTH / ACCESSORIES



HORIZONTAL



4° INCLINE



INSERTS

WIRE MESH 1-PIECE

WIRE MESH 3-PIECE

PAGWOOD

LARCH

RECYCLED PLASTIC

BAMBOO

BENCHES

DESIGN YOUR OWN BENCH ONLINE:
WWW.ERLAU-OBJEKTEINRICHTUNG.DE

FREE COMBINATION OF SEAT PARTS, INSERTS AND
FEET – 3 DIFFERENT LENGTHS – WIDE RANGE OF
MOUNTING ACCESSORIES




SIENA
GLORIA
QUADRI
STELLA
XENIA
PIAZZA PLUS
CHARISMA
SIESTA

FOOT PART

SEAT PARTS




HARMONY
WITH BACK REST




HARMONY
WITHOUT BACK REST



HARMONY
TWO-SEAT WITHOUT BACK REST




STYLE
WITH BACK REST



STYLE
WITHOUT BACK REST



STYLE
DOUBLE-SEAT WITHOUT BACK REST



LENGTH 0.60 m



LENGTH 1.20 m



LENGTH 1.80 m



BENCHES INDIVIDUAL PARTS

SEAT PART – INSERTS –

FOOT PART – LENGTH / ACCESSORIES

VARIABLE ORIENTATION:
VERTICAL 4° ANGLE



ADAPTER SET



ACCESSORY EQUIPMENT:
ANGLE CONNECTOR
45°



15°



WALL
MOUNTING



GROUND
ANCHOR SET




LENGTHS / ACCESSORIES



INSERTS STYLE


WIRE MESH 1-PIECE

FOR SEAT PART / BACK REST STYLE



WIRE MESH 3-PIECE

FOR SEAT PART / BACK REST STYLE



LARCH 3-PIECE

FOR SEAT PART / BACK REST STYLE



PAGWOOD 3-PIECE

FOR SEAT PART / BACK REST STYLE




RECYCLED PLASTIC 3-PIECE

FOR SEAT PART / BACK REST STYLE



BAMBOO

FOR SEAT PART / BACK REST STYLE



SIESTA




CHARISMA




STELLA



**PIAZZA PLUS
MOBILE**



**PIAZZA PLUS
FIXED**



XENIA



GLORIA



QUADRI




SIENA




FOOT PARTS

HARMONY LENGTH 1.80 m


SEAT PART WITH BACK REST



SEAT PART WITHOUT BACK REST




DOUBLE SEAT PART HARMONY WITHOUT BACK REST




HARMONY LENGTH 1.20 m

SEAT PART WITH BACK REST




SEAT PART WITHOUT BACK REST




HARMONY LENGTH 0.6 m

SEAT PART WITH BACK REST




SEAT PART WITHOUT BACK REST




STYLE


SEAT PART WITH BACK REST



SEAT PART WITHOUT BACK REST



DOUBLE-SEAT PART HARMONY WITHOUT BACK REST



BENCHES INDIVIDUAL PARTS


SEAT PARTS – INSERTS –

FOOT PARTS – LENGTH / ACCESSORIES

INSERTS STYLE


WIRE MESH 1-PIECE

FOR SEAT PART / BACK REST STYLE




WIRE MESH SEGMENT 3-PIECE

FOR SEAT PART / BACK REST STYLE



PAGWOOD 3-PIECE


FOR SEAT PART / BACK REST STYLE




BAMBOO / LARCH

RECYCLED PLASTIC 3-PIECE


FOR SEAT PART / BACK REST STYLE




SIESTA




CHARISMA




STELLA




PIAZZA PLUS MOBILE




PIAZZA PLUS FIXED




XENIA




QUADRI



GLORIA



SIENA



FOOT PARTS

MOBILE

GLORIA / HARMONY

NEW





GLORIA / HARMONY

Gloria Harmony

Colour: White aluminium RAL 9006


1	Harmony 180 with back rest Gloria HR180 9006	
2	Harmony 120 with back rest Gloria HR120 9006	
3	Harmony 60 with back rest Gloria HR60 9006	
4	Harmony 180 without back rest Gloria HR180 R0 9006	
5	Harmony 120 without back rest Gloria HR120 R0 9006	
6	Harmony 60 without back rest Gloria HR60 R0 9006	



NEW

 MOBILE
GLORIA / STYLE
 WITH BACK REST

BENCHES

**GLORIA / STYLE / WITH BACK REST**

Gloria Style 180

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert in back rests and seats Gloria ST 180 SD1 RD1 9006	
2	Three-piece wire mesh insert in back rests and seats Gloria ST 180 SDG RDG 9006	
3	Three-piece bamboo insert in back rests and seats Gloria ST180 SBB RBB 9006	
4	Three-piece recycled plastic insert in back rests and seats Gloria ST180 SKS RKS 9006	
5	Three-piece larch insert in back rests and seats Gloria ST180 SLR RLR 9006	
6	Three-piece pagwood insert in back rests and seats Gloria ST180 SPH RPH 9006	

MOBILE

GLORIA / STYLE

WITHOUT BACK REST


NEW

**GLORIA / STYLE / WITHOUT BACK REST**

Gloria Style 180 without back rest

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert Gloria ST 180 SD1 R0 9006	
2	Three-piece wire mesh insert Gloria ST 180 SDG RDG 9006	
3	Three-piece bamboo insert Gloria ST180 SBB R0 9006	
4	Three-piece recycled plastic insert Gloria ST180 SKS R0 9006	
5	Three-piece larch insert Gloria ST180 SLR R0 9006	
6	Three-piece pagwood insert Gloria ST180 SPH R0 9006	





GLORIA / STYLE	
Gloria ST 180 SD1_7016 R0 9006	




SIESTA / HARMONY

Siesta HR 180 D8703

Price per bench



MOBILE
SIESTA / HARMONY
 WIRE MESH
**SIESTA / HARMONY**

Siesta Harmony

Colour: White aluminium RAL 9006

1	Harmony 180 with back rest Siesta HR180 9006	
2	Harmony 120 with back rest Siesta HR120 9006	
3	Harmony 60 with back rest Siesta HR60 9006	
4	Harmony 180 without back rest Siesta HR180 R0 9006	
5	Harmony 120 without back rest Siesta HR120 R0 9006	
6	Harmony 60 without back rest Siesta HR60 R0 9006	

MOBILE

SIESTA / STYLE

WITH BACK REST



1



4



2



5



3



6



GLORIA / STYLE / WITH BACK REST

Siesta Style 180

Colour: White aluminium RAL 9006

1

One-piece wire mesh insert
in back rests and seats
Siesta ST 180 SD1 RD1 9006

2

Three-piece wire mesh insert
in back rests and seats
Siesta ST 180 SDG RDG 9006

3

Three-piece bamboo insert
in back rests and seats
Siesta ST180 SBB RBB 9006

4


Three-piece recycled plastic insert in back
rests and seats
Siesta ST180 SKS RKS 9006


5

Three-piece larch insert in back rests and
seats
Siesta ST180 SLR RLR 9006

6

Three-piece pagewood insert in back rests
and seats
Siesta ST180 SPH RPH 9006



MOBIL
SIESTA / STYLE
 WITHOUT BACK REST
**GLORIA / STYLE / WITHOUT BACK REST**

Stella Style 180 without back rest

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert Siesta ST 180 SD1 R0 9006	
2	Three-piece wire mesh insert Siesta ST 180 SDG R0 9006	
3	Three-piece bamboo insert Siesta ST180 SBB R0 9006	
4	Three-piece recycled plastic insert Siesta ST180 SKS R0 9006	
5	Three-piece larch insert Siesta ST180 SLR R0 9006	
6	Three-piece pagwood insert Siesta ST180 SPH R0 9006	



SIESTA / HARMONY

4-seat Siesta variant in iron mica finish DB 703
2 x seat part HR 60, 1 x seat part HR 120
4 angle connectors





SIESTA / STYLE

Siesta ST 180 SKS RKS DB 703
Recycled plastic insert



CHARISMA / HARMONY

3-seat Charisma variant in iron mica finish DB 703
3x seat part HR 60





Complete price

959,-



MOBILE CHARISMA / HARMONY

WIRE MESH



CHARISMA / HARMONY

Charisma Harmony

Colour: White aluminium RAL 9006

1	Harmony 180 with back rest Charisma HR180 9006	
2	Harmony 120 with back rest Charisma HR120 9006	
3	Harmony 60 with back rest Charisma HR60 9006	
4	Harmony 180 without back rest Charisma HR180 R0 9006	
5	Harmony 120 without back rest Charisma HR120 R0 9006	
6	Harmony 60 without back rest Charisma HR60 R0 9006	

MOBILE

CHARISMA / STYLE

WITH BACK REST



1



4



2



5



3



6






GLORIA / STYLE / WITH BACK REST

Charisma Style 180

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert in back rests and seats Gloria ST 180 SD1 RD1 9006	
2	Three-piece wire mesh insert in back rests and seats Charisma ST 180 SDG RDG 9006	
3	Three-piece bamboo insert in back rests and seats Charisma ST180 SBB RBB 9006	
4	Three-piece recycled plastic insert in back rests and seats Charisma ST180 SKS RKS 9006	
5	Three-piece larch insert in back rests and seats Charisma ST180 SLR RLR 9006	
6	Three-piece pagwood insert in back rests and seats Charisma ST180 SPH RPH 9006	



MOBILE
CHARISMA / STYLE
 WITHOUT BACK REST
**CHARISMA / STYLE / WITH BACK REST**

Charisma Style 180 without back rest

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert Charisma ST 180 SD1 R0 9006	
2	Three-piece wire mesh insert Charisma ST 180 SDG R0 9006	
3	Three-piece bamboo insert Charisma ST180 SBB R0 9006	
4	Three-piece recycled plastic insert Charisma ST180 SKS R0 9006	
5	Three-piece larch insert Charisma ST180 SLR R0 9006	
6	Three-piece pagwood insert Charisma ST180 SPH R0 9006	

CHARISMA / STYLE

Charisma ST 180 SLR RLR 9006
Larch insert

520,-

VASURA LITTER BINS

Vasura litter bins 35 MAD

Price

549,-









STELLA STYLE

Stella ST 180 SDG_9006 RDG_9006 7016
Foot and frame in charcoal RAL 7016
Three-piece wire mesh insert
in white aluminium RAL 9006

Price per bench

1.746,-



MOBILE
STELLA / HARMONY
 WIRE MESH
**STELLA / HARMONY**

Stella Harmony

Colour: White aluminium RAL 9006

1	Harmony 180 with back rest Stella HR180 9006	
2	Harmony 120 with back rest Stella HR120 9006	
3	Harmony 60 with back rest Stella HR60 9006	
4	Harmony 180 without back rest Stella HR180 R0 9006	
5	Harmony 120 without back rest Stella HR120 R0 9006	
6	Harmony 60 without back rest Stella HR60 R0 9006	

MOBILE

STELLA / STYLE

WITH BACK REST



1



4



2



5



3



6






STELLA / STYLE / WITH BACK REST

Stella Style 180

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert in back rests and seats Stella ST 180 SD1 RD1 9006	
2	Three-piece wire mesh insert in back rests and seats Stella ST 180 SDG RDG 9006	
3	Three-piece bamboo insert in back rests and seats Stella ST180 SBB RBB 9006	
4	Three-piece recycled plastic insert in back rests and seats Stella ST180 SKS RKS 9006	
5	Three-piece larch insert in back rests and seats Stella ST180 SLR RLR 9006	
6	Three-piece pagwood insert in back rests and seats Stella ST180 SPH RPH 9006	



MOBILE
STELLA / STYLE
 WITHOUT BACK REST
**STELLA / STYLE / WITHOUT BACK REST**

Stella Style 180 without back rest

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert Stella ST 180 SD1 R0 9006	
2	Three-piece wire mesh insert Stella ST 180 SDG R0 9006	
3	Three-piece bamboo insert Stella ST180 SBB R0 9006	
4	Three-piece recycled plastic insert Stella ST180 SKS R0 9006	
5	Three-piece larch insert Stella ST180 SLR R0 9006	
6	Three-piece pagwood insert Stella ST180 SPH R0 9006	

STELLA / STYLE

Stella ST 180 SBB RBB 9006
Bamboo insert

9006 SBB RBB

926





FIXED / MOBILE

PIAZZA PLUS / HARMONY

WIRE MESH

NEW



1



4



2



5



3



6



PIAZZA PLUS / HARMONY

Piazza Plus Harmony

Colour: White aluminium RAL 9006

1 Harmony 180 with back rest
Fixed
Piazza Plus O HR180 9006


2 Harmony 120 with back rest
Fixed
Piazza Plus O HR120 9006

3 Harmony 60 with back rest
Fixed
Piazza Plus O HR60 9006

4 Harmony 180 with back rest
Mobile
Piazza Plus M HR180 9006

5 Harmony 120 with back rest
Mobile
Piazza Plus M HR120 9006

6 Harmony 60 with back rest
Mobile
Piazza Plus M HR60 9006



NEW

FIXED / MOBIL

PIAZZA PLUS / STYLE

BENCHES

1



4



2




5



3



6



PIAZZA PLUS / STYLE / WITH BACK REST

Piazza Plus Style 180

Colour: White aluminium RAL 9006

- | | |
|---|---|
| 1 | One-piece wire mesh insert in back rests and seats, fixed
Piazza Plus O ST 180 SD1 RD1 9006 |
| 2 | Three-piece wire mesh insert in back rests and seats, fixed
Piazza Plus O ST 180 SDG RDG 9006 |
| 3 | Three-piece bamboo insert in back rests and seats, fixed
Piazza Plus O ST180 SBB RBB 9006 |
| 4 | Three-piece recycled plastic insert in back rests and seats, mobile
Piazza Plus M ST180 SKS RKS 9006 |
| 5 | Three-piece larch insert in back rests and seats, mobile
Piazza Plus M ST180 SLR RLR 9006 |
| 6 | Three-piece pagewood insert, mobile in back rests and seats
Piazza Plus M ST180 SPH RPH 9006 |

SIENA / HARMONY

Siena HR 180 DB703



SIENA / HARMONY



Siena HR 180 R0 7016

301,-



FIXED SIENA / HARMONY

WIRE MESH



SIENA / HARMONY

Siena Harmony

Colour: White aluminium RAL 9006

1	Harmony 180 with back rest, fixed Siena HR180 9006	
2	Harmony 120 with back rest, fixed Siena HR120 9006	
3	Harmony 60 with back rest, fixed Siena HR60 9006	
4	Harmony 180 without back rest, fixed Siena HR180 R0 9006	
5	Harmony 120 without back rest, fixed Siena HR120 R0 9006	
6	Harmony 60 without back rest, fixed SienaHR60 R0 9006	

FIXED
SIENA / STYLE
WITH BACK REST



1



4



2



5



3



6




SIENA / STYLE / WITH BACK REST

Siena Style 180

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert in back rests and seats Siena ST 180 SD1 RD1 9006	
2	Three-piece wire mesh insert in back rests and seats Siena ST 180 SDG RDG 9006	
3	Three-piece bamboo insert in back rests and seats Siena ST180 SBB RBB 9006	
4	Three-piece recycled plastic insert in back rests and seats Siena ST180 SKS RKS 9006	
5	Three-piece larch insert in back rests and seats Siena ST180 SLR RLR 9006	
6	Three-piece pagwood insert in back rests and seats Siena ST180 SPH RPH 9006	



FIXED
SIENA / STYLE
 WITHOUT BACK REST

1



4



2




5



3



6

**SIENA / STYLE / WITHOUT BACK REST**
 Siena Style 180 without back rest
 Colour: White aluminium RAL 9006

 1 One-piece wire mesh insert
 Siena ST 180 SD1 R0 9006

 2 Three-piece wire mesh insert
 Siena ST 180 SDG R0 9006

 3 Three-piece bamboo insert
 Siena ST180 SBB R0 9006

 4 Three-piece recycled plastic insert
 Siena ST180 SKS R0 9006

 5 Three-piece larch insert
 Siena ST180 SLR R0 9006

 6 Three-piece pagwood insert
 Siena ST180 SPH R0 9006


QUADRI / STYLE





Quadri ST 180 SBB R0 9006
Bamboo insert



QUADRI / STYLE

Quadri ST 180 SD1_3003 RDG_3003 9006
Seat insert made of one-piece wire mesh in ruby red
RAL 3003
Back rest insert made of one-piece wire mesh in ruby red
RAL 3003



MOBILE
QUADRI / HARMONY
 WIRE MESH
**QUADRI / HARMONY**

Quadri Harmony

Colour: White aluminium RAL 9006

1	Harmony 180 with back rest Quadri HR180 9006	
2	Harmony 120 with back rest Quadri HR120 9006	
3	Harmony 60 with back rest Quadri HR60 9006	
4	Harmony 180 without back rest Quadri HR180 R0 9006	
5	Harmony 120 without back rest Quadri HR120 R0 9006	
6	Harmony 60 without back rest Quadri HR60 R0 9006	

MOBILE

QUADRI / STYLE

WITH BACK REST




QUADRI / STYLE / WITH BACK REST

Quadri Style 180

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert in back rests and seats Quadri ST 180 SD1 RD1 9006	
2	Three-piece wire mesh insert in back rests and seats Quadri ST 180 SDG RDG 9006	
3	Three-piece bamboo insert in back rests and seats Quadri ST180 SBB RBB 9006	
4	Three-piece recycled plastic insert in back rests and seats Quadri ST180 SKS RKS 9006	
5	Three-piece larch insert in backrests and seats Quadri ST180 SLR RLR 9006	
6	Three-piece pagwood insert in back rests and seats Quadri ST180 SPH RPH 9006	





MOBILE
QUADRI / STYLE
WITHOUT BACK REST

1



4



2




5



3



6





QUADRI / STYLE / WITHOUT BACK REST

Quadri Style 180 without back rest
Colour: White aluminium RAL 9006

1	One-piece wire mesh insert Quadri ST 180 SD1 R0 9006	
2	Three-piece wire mesh insert Quadri ST 180 SDG R0 9006	
3	Three-piece bamboo insert Quadri ST180 SBB R0 9006	
4	Three-piece recycled plastic insert Quadri ST180 SKS R0 9006	
5	Three-piece larch insert Quadri ST180 SLR R0 9006	
6	Three-piece pagwood insert Quadri ST180 SPH R0 9006	



MOBIL
XENIA / HARMONY
 WIRE MESH
**XENIA / HARMONY**

Xenia Harmony

Colour: White aluminium RAL 9006

1	Harmony 180 with back rest Xenia HR180 9006	
2	Harmony 120 with back rest Xenia HR120 9006	
3	Harmony 60 with back rest Xenia HR60 9006	
4	Harmony 180 without back rest Xenia HR180 R0 9006	
5	Harmony 120 without back rest Xenia HR120 R0 9006	
6	Harmony 60 without back rest Xenia HR60 R0 9006	

MOBILE

XENIA / STYLE

WITH BACK REST



1



4



2



5



3



6



XENIA / STYLE / MIT RÜCKENLEHNE

Xenia Style 180

Colour: White aluminium RAL 9006

1

One-piece wire mesh insert
in back rests and seats
Xenia ST 180 SD1 RD1 9006

2

Three-piece wire mesh insert
in back rests and seats
Xenia ST 180 SDG RDG 9006

3

Three-piece bamboo insert
in back rests and seats
Xenia ST 180 SBB RBB 9006

4



Three-piece recycled plastic insert in back
rests and seats
Xenia ST 180 SKS RKS 9006

5

Three-piece larch insert in back rests and
seats
Xenia ST 180 SLR RLR 9006

6

Three-piece pagwood insert in back rests
and seats
Xenia ST 180 SPH RPH 9006





MOBILE
XENIA / STYLE
WITHOUT BACK REST

1



4



2





5



3



6



XENIAI / STYLE / WITHOUT BACK REST

Xenia Style 180 without back rest

Colour: White aluminium RAL 9006

1	One-piece wire mesh insert Xenia ST 180 SD1 R0 9006	
2	Three-piece wire mesh insert Xenia ST 180 SDG R0 9006	
3	Three-piece bamboo insert Xenia ST 180 SBB R0 9006	
4	Three-piece recycled plastic insert Xenia ST 180 SKS R0 9006	
5	Three-piece larch insert Xenia ST 180 SLR R0 9006	
6	Three-piece pagwood insert Xenia ST 180 SPH R0 9006	

FIXED / MOBILE

TWO-SEAT BENCHES



SIENA / HARMONY AND XENIA / STYLE

NEW





SIENA / HARMONY
TWO-SEAT / WITHOUT BACK REST / FIXED

Colour: White aluminium RAL 9007
 insert Wire mesh



XENIA / STYLE
TWO-SEAT / WITHOUT BACK REST / MOBILE

Colour: White aluminium RAL 9007
 Insert: Wire mesh 3-piece, colour: Charcoal RAL 7016





NEW

FIXED / MOBILE

TWO-SEAT BENCHES

SIESTA / STYLE AND QUADRI / STYLE



BENCHES



SIESTA / STYLE
TWO-SEAT / WITHOUT BACK REST / MOBILE

Colour: White aluminium RAL 9007

Insert: Larch



QUADRI / STYLE
TWO-SEAT / WITHOUT BACK REST / MOBILE

Colour: Iron mica finish 703

Insert: Bamboo

WALL/MASONRY MOUNTING

FOR HARMONY SEAT PARTS UND STYLE FRAMES



WALL MOUNTING

With the adaption kit for wall mounting, all our Harmony seats can be easily fastened to the existing walls.

Wire mesh and pagwood inserts (one-piece and three-piece) are possible in Style frames.

Item no. 53745..*



MASONRY MOUNTING / STYLE FRAME

A Style frame with three-piece insert can be secured with bores between the planks on masonry. Additional mounting brackets are not necessary here.

YOUR ADVERTISING MESSAGE ON YOUR BENCH

NEW:
LOGOS, PHOTOGRAPHS,
CITY MAPS...
IN HIGH RESOLUTION
COLOUR PRINTING



CUSTOMISABLE BACK REST

A slightly different customer approach: Customise your back rest with your logo, photographs, city maps... Your imagination has no limit!

Sandwich panel 1770 x 340 mm, highly scratch resistant front coated according to ISO 9352 abrasion resistance > 3,

"High Resolution" rear digital printing of aluminium composite back panel.

Printing data requirements:
Printable PDF (300 dpi).

Item no. 5007281 (only panel)

FROM OLD TO NEW: RESTORATION WITH ERLAU

CONVERSION KIT

NEW



THE INITIAL SITUATION

WEATHER EFFECTS AND VANDALISM LEAVE THEIR TRACES

Unfortunately, the ravages of time also gnaw at outdoor furniture.

No matter if this is due to

wind and weather or vandalism as often happens:

High frequency of usage takes its toll on the outdoor furniture in public places in particular, after a certain time.

As a result, the attractiveness of the appearance of facilities decreases. In such cases, Erlau offers a conversion service for your furniture: Still sound parts of your furniture can be upgraded, for example, with a well-constructed table top by Erlau.



THE SOLUTION: THE ERLAU CONVERSION KIT

- Tailored solutions, regardless of your bench and table dimensions
- Easy handling:
Standalone installation possible without problems
- Preservation of intact parts (e.g. table legs)
- Seats can be elevated,
thereby higher seating comfort

NEW

INSTALLATION OPTIONS

WITH ERLAU CONVERSION KIT

BENCHES



SIDE INSTALLATION BENCH WITH / WITHOUT BACK REST

(angle outside or inside)



SIDE INSTALLATION TABLE

For the table, two conversion kits
and two connector rods are required
(elbow outside or inside)



TOP INSTALLATION BENCH WITH / WITHOUT BACK REST



Conversion example:
Harmony bench with white aluminium back rest








1 x 5365331 seat part Harmony M back rest 1800
1 x 5371617 Connector rod
1 x Conversion kit



CONVERSION KIT

Composed of:
2 x elbow, 2 x mounting bracket,
8 x round-head screw M10 x 30,
8 x washer, 8 x M10 shear nut

The mounting material for installation on existing concrete feet is not included in the delivery.

VISUALISATION	TECHNICAL DESCRIPTION	Version / Dimension	Item number	
SEAT PART HARMONY WITH BACK REST 	Seat/back rest made of wire mesh and round pipe throughout, diameter 38 mm. Mesh 15 x 15 mm, wire gauge 3.0 mm. Top wires transverse to seat direction. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1800/1200/600 x 513 x 442 mm	with back rest width 1800 mm		
		3-seat	53653 ..*	
		with back rest width 1200 mm		
		2-seat	53654 ..*	
SEAT PART HARMONY WITHOUT BACK REST 	Seat made of wire mesh and round pipe, diameter 38 mm. Mesh 15 x 15 mm, wire thickness 3.5 mm. Top wires transverse to seat direction. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1800/1200/600 x 430 x 48 mm	without back rest width 1800 mm		
		3-seat	53656 ..*	
		without back rest width 1200 mm		
		2-seat	53657 ..*	
SEAT PART HARMONY 180 WITHOUT BACK REST, BOUBLE-SEAT 	Matches table top Harmony 180 wide Seat made of wire mesh and round pipe, diameter 38 mm. Mesh 15 x 15 mm, wire thickness 3.5 mm. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with polyamide Rilsan, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 770 x 44 mm	without back rest 600 width mm		
		1-seat	53655 ..*	
		without back rest width 1800 mm		
		3-seat	53656 ..*	
SEAT PART STYLE 180 WITH BACK REST 	Frame made of laser cut profiles and round pipe, diameter 38 mm. All metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1800 x 521 x 449 mm	without back rest width 1200 mm		
		2-seat	53657 ..*	
		without back rest 600 width mm		
		1-seat	53658 ..*	
SEAT PART STYLE 180 WITHOUT BACK REST 	Frame made of laser cut profiles and round pipe, diameter 38 mm. All metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1800 x 436 x 47 mm	Without	53721..*	
		back rest 1800 mm		
SEAT PART STYLE 180 WITHOUT BACK REST, BOUBLE-SEAT 	Matches table frame Style 180 wide. Frame made of laser cut profiles and round pipe, diameter 38 mm. All metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 790 x 51 mm	Without	53660 ..*	
		back rest 1800 mm		
MESH INSERT STYLE 180 	Wire mesh insert as seat/back rest, wire mesh throughout. Mesh 15 x 30 mm, wire gauge 4.0 mm. Top wires transverse to seat direction. With three mesh reinforcements for stabilisation. Chamfered wire ends. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. DSimensions (L x H x D): 1,771 x 345 x 38 mm	Without	53777..*	
		back rest 1800 mm		
MESH INSERT STYLE 180 3-PIECE 	Wire mesh panel insert as seat/back rest, wire mesh throughout. Mesh 15 x 30 mm, wire gauge 4.0 mm. Top wires transverse to seat direction. With three mesh reinforcements for stabilisation. Chamfered wire ends. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. DSimensions (L x H x D): 1771 x 345 x 38 mm, panel width 105 mm	Without	53661 ..*	
		back rest 1800 mm		
PAGWOOD INSERT STYLE 180 	Wood panel insert made of resin-impregnated and cross-banded plywood from local copper beech. Screws on as seat/back rest. DSimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm	Without	53662 ..*	
		back rest 1800 mm		
BAMBOO INSERT STYLE 180 	Fiber bamboo planks. Screws on as seat/back rest. DSimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm	Without	5006873	
		back rest 1800 mm		
BAMBOO INSERT STYLE 180 	Fiber bamboo planks. Screws on as seat/back rest. DSimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm	Without	5006870	
		back rest 1800 mm		

VISUALISATION	TECHNICAL DESCRIPTION	Item number	
LARCH INSERT STYLE 180 	Wood panel made of natural larch. Screws on as seat/back rest. Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm	5006871	
RECYCLED PLASTIC INSERT STYLE 180 	Recycled plastic planks, reinforced solid material, maintenance free, weather resistant. Screws on as seat/back rest. Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm	5006872	
FOOT GLORIA 	exposed concrete foot, smooth and untreated. For installation on FFB 0. Dimensions (W x D x H): 430 x 100 x 475 mm	5007186	
SIESTA FOOT 	Arch-shaped round tube foot, dia. 38 mm, also acts as arm rest. For mobile installation on FFB 0. Simple theft-proof anchoring with welded mounting brackets. Floor anchor for sinking into foundation available as option (surcharge applies). Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 486 x 38 x 728 mm. Also available in a fixed version, dimensions: 486 x 38 x 1,028 mm	Mobile: 53663..* Fixed: 53817..*	
CHARISMA FOOT 	Arch-shaped round tube foot, dia. 38 mm, also acts as arm rest. For mobile installation on FFB 0. Simple theft-proof anchoring with welded mounting brackets. Floor anchor for sinking into foundation available as option (surcharge applies). Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 523 x 38 x 675 mm	53664 ..*	
STELLA FOOT 	Foot made of laser cut profile, bent and formed into an arch, also acts as arm rest. For mobile installation on FFB 0. Simple theft-proof anchoring with integrated mounting brackets. Floor anchor for sinking into foundation available as option (surcharge applies). Completely hot galvanised and powder coated. Dimensions (W x D x H): 511 x 40 x 652 mm	53665 ..*	
FOOT SET PIAZZA PLUS 	Curved tube foot (set of 2 for a bench), diameter 42 mm. For fixed installation in foundation or drilled mobile on FFB 0. Completely hot galvanised and powder coated. Dimensions, drilled mobile: (W x D x H): 619 x 42 x 761 mm Dimensions, fixed: (W x D x H): 500 x 42 x 1073 mm	Mobile: 53779..* fixed: 53778..*	
SIENA FOOT 	L-shaped square foot, 50 x 50mm. For fixed installation into the foundation. Completely hot galvanised. Dimensions (W x D x H): 250 x 50 x 730 mm Also available in a fixed version with ground plate FB 150, dimensions: 250 x 50 x 581 mm	FB 150: 5373017 Fixed: 5367017	
QUADRI FOOT 	Foot from laser cut profile. Bent and formed into a right angle. For mobile installation on FFB 0. Simple theft-proof anchoring with integrated mounting brackets. Floor anchor for sinking into foundation available as option (surcharge applies). Completely hot galvanised and powder coated. Dimensions (W x D x H): 430 x 66 x 475 mm	53667..*	
XENIA FOOT 	Foot from X-shaped laser cut profile. For mobile installation on FFB 0. Simple theft-proof anchoring with integrated mounting brackets. Floor anchor for sinking into foundation available as option (surcharge applies). Completely hot galvanised and powder coated. Dimensions (W x D x H): 441 x 66 x 469 mm Also available in a fixed version with ground plate FB 200, dimensions: 441 x 66 x 669 mm	Mobile: 53669 ..* Fixed with ground plate FP 200: 53729 ..*	

VISUALISATION	TECHNICAL DESCRIPTION	Item number	
<p>ADAPTER SET</p> 	<p>Adapter set for connecting seat and foot parts, full set for one bench (one seat, two feet)</p>	5006953	
<p>ADAPTERS</p> 	<p>45° adapter 15° adapter</p> <p>Both adapters made of rustproof steel, used to join seat parts at 45° / 15° angles, also acting as shelves. Includes fastening material.</p>	5006942 5006941	
<p>GROUND ANCHOR SET</p> 	<p>Ground anchor set made of round tube, dia. 30 mm, allows all Erlau benches to be sunk into the foundation slab. Incl. anti-theft bolting Dimensions (W x H): 30 x 300 mm</p>	5006938	
<p>L KEY SET</p>	<p>Suitable for the installation of benches, living seating units and ground anchors. Composed of: 1x Hexagonal Allen key SW7 1x Torx 40 Allen key with drilling 1x Torx 45 Allen key with drilling</p>	5007227	
<p>WALL MOUNTING SET</p> 	<p>Mounting bracket made of laser-cut profile. Galvanised and powder coated.</p>	53745..*	
<p>ANTI-THEFT BOLTING</p> <p>FOOT/BENCH</p>	<p>composed of: 6x safety screw Torx Pin M10x35 A2 (similar to ISO 7380) 12x washer DIN 125 B 10.5 A2 6x shear nut M10 A2</p>	5007153	
<p>CONVERSION KIT</p>	<p>Composed of: 2x elbow, 2x mounting bracket, 8x flat-head screw M10x30, 8x washer, 8x shear nut M10 The mounting material for installation on existing concrete feet is not included in the delivery.</p>	5007159	
<p>CONNECTOR ROD</p> 	<p>Connector rod made of laser cut profiles and 50 x 50 mm tube, completely hot galvanised. To stabilise and support the solid table top as seat or table part. Dimensions (W x D x H): 1,750 x 160 x 61 mm</p>	5371617	
<p>CUSTOMISABLE</p> <p>BACK REST</p>	<p>Insert with printed motif consisting of: Sandwich panel 1770 x 340 mm, highly scratch resistant front coated according to ISO 9352, abrasion resistance > 3, "High Resolution" rear digital printing of aluminium composite back panel Printing data requirements: Printable PDF (300 dpi)</p>	5007281	

BENCHES

COMBINE MATERIALS AND BENCHES –
THE POSSIBILITIES ARE
ALMOST UNLIMITED





CHARISMA HARMONY

Charcoal RAL 7016
3 angle connectors, 6-seat

Price for this combination

1,427,-



LARCH STELLA STYLE

Full circle made up of 12 benches, 36-seat

Price for this combination

7,476,-



STELLA STYLE

Wire mesh with backrest and pagwood without back rest
combination, 9-seat

Price for this combination

2,735,-



QUADRI STYLE

Charcoal RAL 7016
12-seat

Price for this combination

2,695,-



SIESTA HARMONY

Wire mesh combination with and without back rest, 11-seat

Price for this combination

1,950,-



WIRE MESH

INTERSIT CLASSIT

FP200

3-SEAT / 6-SEAT


- Erlau Classit wire mesh bench
- Frame sides made of laser cut profiles, seat and back rest in wire mesh throughout, mesh 15 x 30 mm, with special mesh reinforcements for optical seat separation and stabilisation.
- Wire thickness 4.0 mm, wire secured by special Erlau profiles, top wires transverse to seat direction.



INTERSIT CLASSIT 3-SEAT

Ground contact FP200


Item no. 53284 ..*



INTERSIT CLASSIT 6-SEAT

Ground contact FP200

Item no. 53286 ..*



- Connectors and feet made of laser cut profiles.
- Seat part vortex sintered with Rilsan polyamide.
Coating at least 350 µm.
- Feet completely hot galvanised and powder coated.
- With arm rests.
- Length 1433 mm / 2832 mm
- Ground contact: FP200

WIRE MESH

INTER SIT CLASSIT


FP200

3+3-SEAT / 6+6-SEAT

INTER SIT CLASSIT 3+3-SEAT

Ground contact FP200


Item no. 53285 ..*



INTER SIT CLASSIT 6+6-SEAT

Ground contact FP200

Item no. 53287 ..*



WIRE MESH

INTERSIT CLASSIT

MOBILE WITH FASTENER HOLES

3-SEAT / 6-SEAT

- Erlau Classit wire mesh bench
- Frame sides made of laser cut profiles, seat and back rest in wire mesh throughout, mesh 15 x 30 mm, with special mesh reinforcements for optical seat separation and stabilisation.
- Wire thickness 4.0 mm, wire secured by special Erlau profiles, top wires transverse to seat direction.



**INTERSIT CLASSIT 3-SEAT**

Ground contact

Mobile with fastener holes

Item no.

53279 ..*



**INTERSIT CLASSIT 6-SEAT**

Ground contact

Mobile with fastener holes

Item no.

53282 ..*



- Connectors and feet made of laser cut profiles.
- Seat part vortex sintered with Rilsan polyamide.
Coating at least 350 µm.
- Feet completely hot galvanised and powder coated.
- With arm rests.
- Length 1433 mm / 2832 mm
- Ground contact: Mobile with fastener holes

WIRE MESH

INTERSIT CLASSIT



MOBILE WITH FASTENER HOLES

3+3-SEAT / 6+6-SEAT

INTERSIT CLASSIT 3+3-SEAT

Ground contact Mobile with fastener holes



Item no. 53280 ..*



INTERSIT CLASSIT 6+6-SEAT

Ground contact Mobile with fastener holes

Item no. 53283 ..*



PAGWOOD

INTERSIT CLASSIT

FP200


3-SEAT / 6-SEAT

- Erlau Classit Pagwood bench
- Frame sides made of laser cut profiles, seat and back rest consisting of diagonal pagwood panels throughout, secured by special Erlau profiles.

**INTERSIT CLASSIT 3-SEAT**


Ground contact FP200

Item no. 53293 ..*

**INTERSIT CLASSIT 6-SEAT**

Ground contact FP200

Item no. 53295 ..*



- Connectors and feet made of laser cut profiles.
- Seat frame vortex sintered with Rilsan polyamide. Coating at least 350 µm.
- Feet completely hot galvanised and powder coated.
- With arm rests.
- Length 1433 mm / 2832 mm
- Ground contact: FP200

PAGWOOD

INTERSIT CLASSIT


FP200

3+3-SEAT / 6+6-SEAT

INTERSIT CLASSIT 3+3-SEAT

Ground contact FP200


Item no. 53294 ..*



INTERSIT CLASSIT 6+6-SEAT

Ground contact FP200

Item no. 53296 ..*



PAGWOOD

INTERSIT CLASSIT

MOBILE WITH FASTENER HOLES


3-SEAT / 6-SEAT

- Erlau Classit Pagwood bench
- Frame sides made of laser cut profiles, seat and back rest consisting of diagonal pagwood panels throughout, secured by special Erlau profiles.

**INTERSIT CLASSIT 3-SEAT**


Ground contact Mobile with fastener holes

Item no. 53288 ..*

**INTERSIT CLASSIT 6-SEAT**

Ground contact Mobile with fastener holes

Item no. 53291 ..*



- Connectors and feet made of laser cut profiles.
- Seat frame vortex sintered with Rilsan polyamide. Coating at least 350 µm.
- Feet completely hot galvanised and powder coated.
- With arm rests.
- Length 1433 mm / 2832 mm
- Ground contact: Mobile with fastener holes

PAGWOOD

INTERSIT CLASSIT



MOBILE WITH FASTENER HOLES

3+3-SEAT / 6+6-SEAT

INTERSIT CLASSIT 3+3-SEAT

Ground contact Mobile with fastener holes



Item no. 53289 ..*



INTERSIT CLASSIT 6+6-SEAT

Ground contact Mobile with fastener holes

Item no. 53292 ..*





10 YEAR RUSTPROOFING GUARANTEE	Vandalism protection with graffiti resistant-coating in standard colours 1
CUSTOMISED PLACEMENT	The use of round sections makes any installation possible, from circular to S-shaped ones
OUTSTANDING SEATING COMFORT	Ergonomic design with thermo effect
FLEXIBLE MOUNTING	Mobile or fixed with ground plate – the seat direction can be freely chosen
GERMAN QUALITY AND DESIGN	

SEAT SYSTEMS

PRODUCT OVERVIEW

Individual parts p. 86 – 87

Dimensions p. 88 – 89

Seat system components p. 110 – 111

Olympia components p. 124 – 125



Wire mesh TOPSIT p. 90 – 91
p. 94 – 95



Pagwood TOPSIT p. 92 – 93
p. 96 – 97



ALLEGRO p. 98 – 101



SEDIA p. 102 – 103



MULTI p. 104 – 105



Wall mounting p. 108 – 109



OLYMPIA NOVA p. 112 – 117




OLYMPIA CLASSIC p. 118 – 125

SEAT PARTS



TOPSIT WIRE MESH
WITH BACK REST



TOPSIT WIRE MESH
WITHOUT BACK REST



TOPSIT PAGWOOD
WITH BACK REST



TOPSIT PAGWOOD
WITHOUT BACK REST



ALLEGRO
WIRE MESH



SEDIA
WIRE MESH



MULTI
WIRE MESH



FIXING SET
WALL AND MASONRY



ARM RESTS AND FEET

ARM RESTS
FOR TOPSIT



ARM RESTS
FOR ALLEGRO



SEAT SYSTEMS

DESIGN YOUR OWN SEAT WITH BACK RESTS,
ARM RESTS, GROUND CONTACT, AND ASSEMBLE
SEATS WITH FRAMES!

VARI FOOT

MOBILE / FIXED INSTALLATION FOR CONCRETE EMBEDMENT



NOVA FOOT

FIXED / FIXED WITH GROUND PLATE / MOBILE



FRAME VARI FOR 1-SEAT CONFIGURATIONS



FRAME VARI FOR 2-SEAT CONFIGURATIONS



FRAME VARI FOR 2.5-SEAT CONFIGURATIONS
(IDEAL FOR 5-SEAT VARIANTS)



FRAME VARI FOR 3-SEAT CONFIGURATIONS




FRAMES


SEAT PARTS




TOPSIT WIRE MESH
WITH BACK REST




TOPSIT WIRE MESH
WITHOUT BACK REST




TOPSIT PAGWOOD
WITH BACK REST




TOPSIT PAGWOOD
WITHOUT BACK REST




ALLEGRO WIRE MESH



MULTI WIRE MESH



SEDIA WIRE MESH




SEAT SYSTEMS


DESIGN YOUR OWN SEAT WITH BACK RESTS,
ARM RESTS, GROUND CONTACT, AND ASSEMBLE
SEATS WITH FRAMES!

FEET


VARI FOOT
MOBILE
WITH MOUNTING HOLES




VARI FOOT
FIXED FOR CONCRETE EMBEDMENT




NOVA DOPPELT FOOT
MOBILE / FPO / FIXED FOR CONCRETE EMBEDMENT




SIMPLE NOVA FOOT
MOBILE / FPO / FIXED FOR CONCRETE EMBEDMENT




FRAME VARI FOR 1-SEAT CONFIGURATIONS




FRAME VARI FOR 2-SEAT CONFIGURATIONS



FRAME VARI FOR 2.5-SEAT CONFIGURATIONS
(IDEAL FOR 5-SEAT VARIANTS)



FRAME VARI FOR 3-SEAT CONFIGURATIONS



FRAMES

VARI FOOT
TOPSIT
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES






VARI FIXED

TOPSIT WIRE MESH WITH BACK REST, 3-SEAT, VARI FOOT


Seat colour: White aluminium RAL 9006

Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006



Arm rest for Topsit
Page 110



**TOPSIT WIRE MESH
WITH BACK REST**

VARI foot

mobile

fixed

2-seat

Frame: Vari 2-seat

3-seat



Frame: Vari 3-seat

4-seat

Frame: Vari 2x2-seat

5-seat

Frame: Vari 2x2.5-seat





NOVA FOOT
TOPSIT
MOBILE / FIXED

NEW



NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE




NOVA FIXED

TOPSIT WIRE MESH WITH BACK REST, 3-SEAT, NOVA FOOT







Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006



Arm rest for Topsit
Page 110



TOPSIT WIRE MESH WITH BACK REST			
NOVA foot	mobile	Fixed with ground plate	fixed
2-seat Frame: Vari 2-seat			
3-seat Frame: Vari 3-seat			
4-seat Frame: Vari 2x2-seat			
5-seat Frame: Vari 2x2.5-seat			

VARI FOOT
TOPSIT
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES




VARI FIXED

TOPSIT PAGWOOD WITH BACK REST, 3-SEAT, VARI FOOT






Seat colour: White aluminium RAL 9006

Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006



Arm rest for Topsit
Page 110



**TOPSIT PAGWOOD
WITH BACK REST**

VARI foot

mobile

fixed

2-seat

Frame: Vari 2-seat

3-seat

Frame: Vari 3-seat

4-seat

Frame: Vari 2x2-seat

5-seat

Frame: Vari 2x2.5-seat



NOVA FOOT TOPSIT

MOBILE / FIXED

NEW



NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE




NOVA FIXED

TOPSIT PAGWOOD WITH BACK REST, 3-SEAT, NOVA FOOT







Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006



Arm rest for Topsisit
Page 110



TOPSIT PAGWOOD WITH BACK REST

NOVA foot

mobile

Fixed with
ground plate

fixed

2-seat
Frame: Vari 2-seat

3-seat
Frame: Vari 3-seat

4-seat
Frame: Vari 2x2-seat

5-seat
Frame: Vari 2x2.5-seat

VARI FOOT
TOPSIT
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES




VARI FIXED

TOPSIT WIRE MESH WITHOUT BACK REST, 3-SEAT, VARI FOOT




Seat colour: White aluminium RAL 9006

Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006



Arm rest for Topsit
Page 110



**TOPSIT WIRE MESH
WITHOUT BACK REST**

VARI foot

mobile

fixed

2-seat

Frame: Vari 2-seat

3-seat



Frame: Vari 3-seat

4-seat

Frame: Vari 2x2-seat

5-seat

Frame: Vari 2x2.5-seat





NOVA FOOT TOPSIT MOBILE / FIXED

NEW


NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE




NOVA FIXED

TOPSIT WIRE MESH WITHOUT BACK REST, 3-SEAT, NOVA FOOT





Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006





Arm rest for Topsit
Page 110



TOPSIT WIRE MESH WITHOUT BACK REST

NOVA foot	mobile	Fixed with ground plate	fixed
2-seat Frame: Vari 2-seat			
3-seat Frame: Vari 3-seat			
4-seat Frame: Vari 2x2-seat			
5-seat Frame: Vari 2x2.5-seat			



VARI FOOT
TOPSIT
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES




VARI FIXED

PAGWOOD TOPSIT WITHOUT BACK REST, 3-SEAT, VARI FOOT




Seat colour: White aluminium RAL 9006

Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006





Arm rest for Topsit
Page 110



**PAGWOOD TOPSIT
WITHOUT BACK REST**

VARI foot	mobile	fixed
2-seat Frame: Vari 2-seat		
3-seat Frame: Vari 3-seat		
4-seat Frame: Vari 2x2-seat		
5-seat Frame: Vari 2x2.5-seat		





NOVA FOOT
TOPSIT
MOBILE / FIXED

NEW

SEAT SYSTEMS



NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE




NOVA FIXED

PAGWOOD TOPSIT WITHOUT BACK REST, 3-SEAT, NOVA FOOT





Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006





Arm rest for Topsit
Page 110



PAGWOOD TOPSIT
WITHOUT BACK REST

NOVA foot	mobile	fixed	Fixed with ground plate
2-seat Frame: Vari 2-seat			
3-seat Frame: Vari 3-seat			
4-seat Frame: Vari 2x2-seat			
5-seat Frame: Vari 2x2.5-seat			



VARI FOOT
ALLEGRO
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES




VARI FIXED

TOPSIT WIRE MESH WITH BACK REST, 3-SEAT, VARI FOOT




Seat colour: White aluminium RAL 9006

Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006



Arm rest for Topsit
Page 110



**TOPSIT WIRE MESH
WITH BACK REST**

VARI foot

mobile

fixed

2-seat

Frame: Vari 2-seat

3-seat



Frame: Vari 3-seat

4-seat

Frame: Vari 2x2-seat

5-seat

Frame: Vari 2x2.5-seat





NOVA FOOT
ALLEGRO
MOBILE / FIXED

NEW



NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE




NOVA FIXED

ALLEGRO WIRE MESH WITH BACK REST, 3-SEAT, NOVA FOOT





Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006





Arm rest for Topsit
Page 110



**WIRE MESH ALLEGRO
WITH BACK REST**


NOVA foot	mobile	Fixed with ground plate	fixed
2-seat Frame: Vari 2-seat			
3-seat Frame: Vari 3-seat			
4-seat Frame: Vari 2x2-seat			
5-seat Frame: Vari 2x2.5-seat			



SEAT WITH BACK REST

ALLEGRO[®] MOBILE

FULL CIRCLE



SEAT WITH BACK REST
ALLEGRO FIXED
FULL CIRCLE



VARI FOOT
SEDIA
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES







VARI FIXED

WIRE MESH SEDIA WITH BACK REST, 3-SEAT, VARI FOOT

Seat colour: White aluminium RAL 9006



Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006



WIRE MESH SEDIA
WITH BACK REST

VARI foot	mobile	fixed
2-seat Frame: Vari 2-seat		
3-seat Frame: Vari 3-seat		
4-seat Frame: Vari 2x2-seat		
5-seat Frame: Vari 2x2.5-seat		





NOVA FOOT SEDIA MOBILE / FIXED

NEW



NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE








NOVA FIXED

WIRE MESH ALLEGRO WITH BACK REST, 3-SEAT, NOVA FOOT

Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006



WIRE MESH SEDIA WITH BACK REST

NOVA foot

mobile

Fixed with
ground plate



fixed

2-seat
Frame: Vari 2-seat

3-seat
Frame: Vari 3-seat

4-seat
Frame: Vari 2x2-seat

5-seat
Frame: Vari 2x2.5-seat



VARI FOOT
MULTI
MOBILE / FIXED



VARI MOBILE,
WITH MOUNTING HOLES







VARI FIXED

WIRE MESH MULTI WITHOUT BACK REST, 3-SEAT, VARI FOOT

Seat colour: White aluminium RAL 9006

Foot: Vari: Hot galvanised

frame: Vari 3-seat: Hot galvanised and coated in RAL 9006



WIRE MESH MULTI
WITHOUT BACK REST

VARI foot

mobile



fixed

2-seat
Frame: Vari 2-seat

3-seat
Frame: Vari 3-seat

4-seat
Frame: Vari 2x2-seat

5-seat
Frame: Vari 2x2.5-seat



NOVA FOOT MULTI MOBILE / FIXED

NEW



NOVA MOBILE
WITH MOUNTING HOLES



NOVA FIXED
WITH GROUND PLATE








NOVA FIXED

WIRE MESH MULTI WITHOUT BACK REST, 3-SEAT, NOVA FOOT

Seat colour: White aluminium RAL 9006

Foot: Nova: Frame, hot galvanised and coated in RAL 9006:

Vari 3-seat: Hot galvanised and coated in RAL 9006



WIRE MESH MULTI WITHOUT BACK REST

NOVA foot

mobile

Fixed with
ground plate



fixed

2-seat
Frame: Vari 2-seat

3-seat
Frame: Vari 3-seat

4-seat
Frame: Vari 2x2-seat

5-seat
Frame: Vari 2x2.5-seat





PAGWOOD TOPSIT / MOBILE / VARI FOOT

3-seat variant without back rest
Colour: RAL 9006 white aluminium



NEW

WALL MOUNTING

ADAPTION KIT FOR WALL MOUNTING



ADAPTION KIT FOR WALL MOUNTING	
	With the adaption kit for wall mounting, all our seats can be easily fastened to the existing walls. Coated in colour.
	Item no. 53745.*

NEW












MASONRY MOUNTING

















ADAPTION KIT FOR MASONRY MOUNTING

SEAT SYSTEMS



ADAPTION KIT FOR MASONRY MOUNTING	
	
With the stainless steel adaption kit for masonry mounting, all our seats can be easily fastened to the existing masonry.	
Item no. 5007183	


VISUALISATION	TECHNICAL DESCRIPTION	Item number	
WIRE MESH TOPSIT SEAT WITH BACK REST 	Side frame made of laser cut mouldings. Seat and back rest made of wire mesh throughout. Mesh 15 x 30 mm, wire thickness 4.0 mm. Top wires transverse to seat direction. With two mesh reinforcements for stabilisation. Wire ends secured by special ERLAU profile. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm Dimensions (W x D x H): 475 x 649 x 469 mm	53697 ..*	
PAGWOOD TOPSIT SEAT WITH BACK REST 	Side frame made of laser cut mouldings. Seat and back rest made of pagwood slats throughout. Steel parts vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 475 x 649 x 469 mm	53698 ..*	
WIRE MESH TOPSIT SEATS WITHOUT BACK REST 	Side frame made of laser cut mouldings. Seat made of wire mesh throughout. Mesh 15 x 30 mm, wire thickness 4.0 mm. Wire mesh model with top wires transverse to seat direction. With two mesh reinforcements for stabilisation. Wire ends secured by special ERLAU profile. Steel parts vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 475 x 485 x 69 mm	53718 ..*	
PAGWOOD TOPSIT SEATS WITHOUT BACK REST 	Side frame made of laser cut mouldings. Seat made of pagwood slats throughout. Steel parts vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 475 x 485 x 69 mm	53719 ..*	
ALLEGRO SEATS 	Seat/back rest made of wire mesh throughout and round tube, diameter 30 mm. Mesh 15 x 15 mm, wire thickness 3.0 mm. Top wires transverse to seat direction. With two mesh reinforcements for stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 450 x 597 x 448 mm	53696 ..*	
SEAT SEDIA 	Seat/back rest made of wire mesh and round tube, diameter 25 mm. Mesh 15 x 15 mm, wire thickness 3.0 mm. Top wires transverse to seat direction. With two mesh reinforcements for stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 445 x 431 x 293 mm	53710 ..*	
SEAT MULTI 	Seat/back rest made of wire mesh and round tube, diameter 25 mm. Mesh 15 x 15 mm, wire thickness 3.0 mm. With two mesh reinforcements for stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 405 x 350 x 53 mm	53709 ..*	
ARM REST ALLEGRO 	Arm rest Allegro made of round tube, to be mounted to a 50 x 50 mm substructure. Dia. 30 mm. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 50 x 457 x 296 mm	53720 ..*	
TOPSIT ARM REST WITH BACK REST 	Topsit arm rest, chamfered laser moulded part to be mounted to Topsit seat shell with back rest. Galvanised and powder coated. Dimensions (W x D x H): 30 x 390 x 252 mm	53561..*	
TOPSIT ARM REST WITHOUT BACK REST 	Topsit armrest without back rest, laser chamfered moulded part to be mounted to Topsit seat shell without back rest. Galvanised and powder coated. Dimensions (W x D x H): 30x 362x183 mm	53744..*	
FRAMES 	1-seat frame, 50 x 50 mm, length 700 mm 2-seat frame, 50 x 50 mm, length 1.135 m Frame 2.5-seat 50 x 50 mm, length 1420 mm Frame 3-seat, 50 x 50 mm, length 1700 mm All frames completely hot galvanised and powder coated.	53712..* 53713..* 53715..* 53714..*	

VISUALISATION	TECHNICAL DESCRIPTION	Item number	
FOOT VARI MOBILE 	Completely hot galvanised with open sides for variable frame configuration, ground plate with fastening holes. Cover for fastening frame from aluminium die casting with Erlau emblem. Dimensions (W x D x H): 119 x 500 x 395 mm, foot tube dia.: 102 mm	5370017	
FOOT VARI FIXED 	Completely hot galvanised with open sides for variable frame configuration. Cover for fastening frame from aluminium die casting with Erlau emblem. Dimensions (W x H): 119 x 744, foot tube dia.: 102 mm	5370117	
NOVA FOOT SIMPLY MOBILE DRILLED 	For mobile installation on FFB 0 with mounting holes. Completely hot galvanised and powder coated. Dimensions (W x D x H): 574 x 133 x 348 mm	53786..*	
NOVA FOOT DOUBLE MOBILE DRILLED 	Required to join frames For mobile installation on FFB 0 with mounting holes. Completely hot galvanised and powder coated. Dimensions (W x D x H): 574 x 200 x 348 mm	53787..*	
NOVA FOOT SIMPLY FIXED WITH GROUND PLATE 	For fixed installation on FFB 0 with mounting holes. Completely hot galvanised and powder coated. Dimensions (W x D x H): 200 x 150 x 348 mm	53784..*	
NOVA FOOT DOUBLE FIXED WITH GROUND PLATE 	Required to join frames For fixed installation on FFB 0 with mounting holes. Completely hot galvanised and powder coated. Dimensions (W x D x H): 200 x 200 x 348 mm	53785..*	
NOVA FOOT SIMPLY FIXED 	For fixed installation into the foundation. Completely hot galvanised and powder coated Dimensions (W x D x H): 140 x 133 x 633 mm	53782..*	
NOVA FOOT DOUBLE FIXED 	Required to join frames For fixed installation into the foundation. Completely hot galvanised and powder coated Dimensions (W x D x H): 140 x 200 x 633 mm	53783..*	
FIXING SET FOR MOUNTING SEAT TO FRAME 	Fixing set for mounting seat to frame, consisting of: 2 x U-bolts M10, 4 x underplate, 4 x M10 hexagon nut, all parts made of stainless steel	5006940	
FIXING SET FOR MOUNTING ARM REST ALLEGRO TO FRAME 	Fixing set for mounting arm rest Allegro to frame, consisting of: 2 x U-bolts M10, 4 x underplate 4 x M10 hexagon nut, all parts made of stainless steel	5006940	
FIXING SET FOR NOVA FEET WITH FRAME 	Composed of: 2 x galvanised and powder coated mounting bracket, including fastening material	53781..*	
L KEY SET 	Suitable for the installation of benches, living room suites and ground anchors. Composed of: 1x Hexagonal Allen key SW7, 1x Torx 40 Allen key with drilling, 1x Torx 45 Allen key with drilling	5007227	
WALL MOUNTING SET 	Mounting bracket made of laser-cut profile. Galvanised and powder coated.	53745..*	
MASONRY MOUNTING SET 	Mounting bracket made of laser-cut profile. Made of stainless steel.	5007183	
ANTI-THEFT BOLTING FOOT/SEAT 	composed of: 6x safety screw Torx Pin M10x35 A2 (similar to ISO 7380) 12x washer DIN 125 B 10,5 A2; 6x shear nut M10 A2;	5007153	
FRAME CONNECTOR 	Frame connector for simplified alignment when using multiple frames (no load-bearing component)	5007160	

STRAIGHT VERSION


OLYMPIA NOVA

WITH BACK REST



- Seat/back rest made of wire mesh and round tube, diameter 30 mm.
- Seat/back rest connected with laser cut mouldings.
- Seat with knee support, rounded, back rest with arm support.
Mesh 15 x 25 mm, wire thickness 3.5 mm.
Top wires transverse to seat direction.
- Vortex sintered with polyamide Rilsan, coating thickness at least 350 µm.
- Including mounting set for OLYMPIA NOVA feet.


FOOT VERSIONS:



1. Fixed for sinking
into the founda-
tion slab

2. Fixed with
ground plate

3. Mobile
drilled




SEAT 1-SEAT STRAIGHT

Dimensions (W x D x H): 560 x 699 x 815 mm

Item no.

52480 ..*



STRAIGHT 2-SEAT UNIT

Dimensions (W x D x H): 1,135 x 699 x 815 mm

Item no.

52479 ..*



- Standard seat height 450 mm
- For optimal comfort, the seat and back rest are slightly convex, so that the occupant sits in a slightly suspended position and tension is not loosened.
- Olympia Nova with back rest offers a wide number of configurations due to its many variants.
- Including mounting set for OLYMPIA NOVA feet.

CURVED VERSION OLYMPIA NOVA WITH BACK REST

Focus Green
Silver 2008

SEAT SYSTEMS

GROUND CONTACT:

Mobile drilled
Fixed with ground plate
Fixed for sinking into the foundation slab

OPTIONS:


Various foot versions
see page 115



SEAT 1-SEAT CURVED 30° INWARDS

Dimensions (W x D x H): 560 x 699 x 815 mm


Item no. 52482 ..*



1-SEAT UNIT, CURVED 30° INWARDS

Dimensions (W x D x H): 560 x 699 x 815 mm

Item no. 52481 ..*




STRAIGHT/CURVED VERSION
OLYMPIA NOVA

WITHOUT BACK REST




- Seat made of wire mesh and round tube, diameter 30 mm.
- Sides with laser cut profiles. Seats with knee support, rounded.
- Feet made of round tube, dia. 60 mm, mesh 15 x 25 mm, wire thickness 3.5 mm. Top wires transverse to seat direction.
- Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.
- Standard seat height 450 mm.
- Including mounting set for OLYMPIA NOVA feet.

**SEAT 1-SEAT STRAIGHT**


Dimensions (W x D x H): 560 x 530 x 450 mm

Item no. 52884 ..*

**SEAT 2-SEAT STRAIGHT**

Dimensions (W x D x H): 1,135 x 530 x 450 mm

Item no. 52882 ..*

**SEAT 1-SEAT CURVED 30°**

Dimensions (W x D x H): 1,135 x 699 x 815 mm

Item no. 52883 ..*



- For optimal comfort, the seat and back rest are slightly convex, so that the occupant sits in a slightly suspended position and tension is not loosened.
- Olympia Nova without back rest offers a wide number of configurations thanks to its many variants.

FOOT PARTS

OLYMPIA NOVA

MOBILE / FIXED

Focus Green
Silver 2008

OUTER FOOT

1. Mobile drilled

Item no. 53786 ..*

2. Fixed with ground plate FP 0

Item no. 53784 ..*

3. Fixed for sinking into the foundation slab

Item no. 53782 ..*

FOOT VERSIONS OUTER FOOT:



1. Mobile drilled



2. Fixed with ground plate



3. Fixed for sinking into the foundation slab

INNER FOOT

4. Mobile drilled

Item no. 53787..*

5. Fixed with ground plate FP 0

Item no. 53785 ..*

6. Fixed for sinking into the foundation slab

Item no. 53783 ..*

FOOT VERSIONS INNER FOOT:



4. Mobile drilled



5. Fixed with ground plate



6. Fixed for sinking into the foundation slab

CONFIGURATION OPTIONS

OLYMPIA NOVA

FULL CIRCLE

HALF CIRCLE



OLYMPIA NOVA WITHOUT BACK REST

What you need for this configuration:

SEAT PARTS:


1 pc 2-seat straight
 9 pcs 1-seat curved 30°

FEET:

2 pcs outer feet
 9 pcs inner feet

- How to configure your Olympia Nova seating unit:
 The special thing about Olympia Nova, alongside its unique contour, is that you can configure it yourself.

- Here you can find a few examples.



OLYMPIA NOVA WITH BACK REST/ FULL CIRCLE


What you need for this configuration:

SEAT PARTS:

12 pcs
 1-seat curved 30° outwards

FEET:

12 pcs inner feet





OLYMPIA NOVA / SEMICIRCLE 180° OUTWARDS

What you need for this configuration:

SEAT PARTS:

6 pcs 1-seat curved 30° outwards

FEET:

2 pcs outer feet

5 pcs inner feet



OLYMPIA NOVA WITH BACK REST

What you need for this configuration:

SEAT PARTS:

2 pc 2-seat straight

3 pcs 1-seat curved 30° inwards

3 pcs 1-seat curved 30° outwards

2 pc 1-seat straight

FEET:

2 pcs outer feet

9 pcs inner feet



OLYMPIA NOVA / SEMICIRCLE 180° INWARDS°

What you need for this configuration:



SEAT PARTS:

6 pcs 1-seat curved 30° inwards

FEET:

2 pcs outer feet

5 pcs inner feet



VERSION WITH BACK REST

OLYMPIA

2-SEAT, STRAIGHT

FIXED

FIXED WITH GROUND PLATE MOBILE


■ 2-SEAT, STRAIGHT WITH BACK REST

- Seat part with knee support, back rest with arm support
- Steel tube feet, hot galvanised and powder coated.
- Seat/back rest made of steel tube and wire mesh.
- Tube OD 30 mm,
wire thickness 3 mm, mesh 15 x 15 mm, Vortex sintered
with Rilsan polyamide, coating thickness at least 350 µm


OLYMPIA 2-SEAT BASE ELEMENT		
Dimensions (W x D x H)		1275 x 812 x 760 mm
Version	Seat height	450 mm
fixed	Item no.	51332..*
Fixed with ground plate	Item no.	51333..*
mobile	Item no.	51334..*

OLYMPIA 2-SEAT ADDITIONAL ELEMENT		
Dimensions (W x D x H)		1275 x 812 x 760 mm
Version	Seat height	450 mm
fixed	Item no.	51335..*
Fixed with ground plate	Item no.	51336..*
mobile	Item no.	51337..*


BASE ELEMENT FIXED




ADDITIONAL ELEMENT FIXED




BASE ELEMENT FIXED WITH GROUND PLATE




ADDITIONAL ELEMENT FIXED WITH GROUND PLATE



BASE ELEMENT MOBILE



ADDITIONAL ELEMENT MOBILE



■ 2-SEAT, STRAIGHT, WITHOUT BACK REST

- Seat part with knee support.
- Steel tube feet, hot galvanised and powder coated
- Seat part made of steel tube and wire mesh
- Tube OD 30 mm,
wire thickness 3 mm, mesh 15 x 15 mm,
Vortex sintered with Rilsan polyamide,
coating thickness at least 350 µm

VERSION WITHOUT BACK REST

OLYMPIA

2-SEAT, STRAIGHT


FIXED

FIXED WITH GROUND PLATE MOBILE


OLYMPIA 2-SEAT BASE ELEMENT		
Dimensions (W x D x H)		1,200 x 440 x 460 mm
Version	Seat height	460 mm
fixed	Item no.	59752..*
Fixed with ground plate	Item no.	59758..*
mobile	Item no.	59772..*

OLYMPIA 2-SEAT ADDITIONAL ELEMENT		
Dimensions (W x D x H)		1,200 x 440 x 460 mm
Version	Seat height	460 mm
fixed	Item no.	59762..*
Fixed with ground plate	Item no.	59768..*
mobile	Item no.	59782..*


BASE ELEMENT FIXED




ADDITIONAL ELEMENT FIXED




BASE ELEMENT FIXED WITH GROUND PLATE




ADDITIONAL ELEMENT FIXED WITH GROUND PLATE



BASE ELEMENT MOBILE



ADDITIONAL ELEMENT MOBILE



VERSION WITH BACK REST

OLYMPIA

1-SEAT / SEAT OUTDOORS

FIXED







FIXED WITH GROUND PLATE MOBILE

■ 1-SEAT SEATS, CIRCULARLY CURVED 30°, OUTWARDS WITH BACK RESTS

- Seat part with knee support, back rest with arm support.
- Steel tube feet, hot galvanised and powder coated.
- Seat/back rest made of steel tube and wire mesh.
- Tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.
- Olympia elements are circularly curved – no corners!

OLYMPIA 1-SEAT BASE ELEMENT		
Dimensions (W x D x H)		1,019 x 838 x 760 mm
	Seat height	450 mm
Version	Outer radius	2,035 mm
fixed	Item no.	51356..*
Fixed with ground plate	Item no.	51357..*
mobile	Item no.	51358..*

OLYMPIA 1-SEAT ADDITIONAL ELEMENT		
Dimensions (W x D x H)		1,019 x 838 x 760 mm
	Seat height	450 mm
Version	Outer radius	2,035 mm
fixed	Item no.	51359..*
Fixed with ground plate	Item no.	51360..*
mobile	Item no.	51361..*

BASE ELEMENT FIXED**ADDITIONAL ELEMENT FIXED****BASE ELEMENT FIXED WITH GROUND PLATE****ADDITIONAL ELEMENT FIXED WITH GROUND PLATE****BASE ELEMENT MOBILE****ADDITIONAL ELEMENT MOBILE**

- **1-SEAT, CIRCULARLY CURVED 30°, SEAT INWARDS WITH BACK REST**
- Seat part with knee support, back rest with arm support.
- Steel tube feet, hot galvanised and powder coated.
- Seat/back rest made of steel tube and wire mesh.
- Tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.
- Olympia elements are circularly curved – no polygonal design!

VERSION WITH BACK REST

OLYMPIA







INDOOR 1-SEAT / SEAT

FIXED

FIXED WITH GROUND PLATE MOBILE

OLYMPIA 1-SEAT BASE ELEMENT		
Dimensions (W x D x H)		921 x 843 x 760 mm
	Seat height	450 mm
Version	Outer radius	1,904 mm
fixed	Item no.	51350..*
Fixed with ground plate	Item no.	51351..*
mobile	Item no.	51352..*

OLYMPIA 1-SEAT ADDITIONAL ELEMENT		
Dimensions (W x D x H)		921 x 843 x 760 mm
	Seat height	450 mm
Version	Outer radius	1,904 mm
fixed	Item no.	51353..*
Fixed with ground plate	Item no.	51354..*
mobile	Item no.	51355..*

BASE ELEMENT FIXED**ADDITIONAL ELEMENT FIXED****BASE ELEMENT FIXED WITH GROUND PLATE****ADDITIONAL ELEMENT FIXED WITH GROUND PLATE****BASE ELEMENT MOBILE****ADDITIONAL ELEMENT MOBILE**

VERSION WITHOUT BACK REST

OLYMPIA

1-SEAT / CURVED

FIXED

FIXED WITH GROUND PLATE MOBILE


■ 1-SEAT, CURVED 30°, WITHOUT BACK REST

- Seat with knee support, made of steel tube and wire mesh.
- Steel tube feet, hot galvanised and colour powder coated.
- Seat part made of steel tube and wire mesh
- Tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.


OLYMPIA 1-SEAT BASE ELEMENT		
Dimensions (W x D x H)	767 x 471 x 460 mm	
	Seat height	460 mm
Version	Outer radius	1,541 mm
fixed	Item no.	59712..*
Fixed with ground plate	Item no.	59718..*
mobile	Item no.	59732..*

OLYMPIA 1-SEAT ADDITIONAL ELEMENT		
Dimensions (W x D x H)	767 x 471 x 460 mm	
	Seat height	460 mm
Version	Outer radius	1,541 mm
fixed	Item no.	59722..*
Fixed with ground plate	Item no.	59728..*
mobile	Item no.	59742..*


BASE ELEMENT FIXED




ADDITIONAL ELEMENT FIXED




BASE ELEMENT FIXED WITH GROUND PLATE




ADDITIONAL ELEMENT FIXED WITH GROUND PLATE



BASE ELEMENT MOBILE



ADDITIONAL ELEMENT MOBILE



■ 3-SEAT, STRAIGHT, WITHOUT BACK REST

- Seat with knee support.
- Steel tube feet, hot galvanised and colour powder coated.
- Seat part made of steel tube and wire mesh
- Tube OD 30 mm, wire thickness 3.5 mm, mesh 15 x 15 mm, Vortex sintered with Rilsan polyamide at least 350 µm

VERSION WITHOUT BACK REST

OLYMPIA

3-SEAT / STRAIGHT


FIXED

FIXED WITH GROUND PLATE MOBILE


OLYMPIA 3-SEAT BASE ELEMENT		
Dimensions (W x D x H)		1,800 x 440 x 460 mm
	Seat height	460 mm
Version		
fixed	Item no.	51297..*
Fixed with ground plate	Item no.	51298..*
mobile	Item no.	51299..*

OLYMPIA 3-SEAT ADDITIONAL ELEMENT		
Dimensions (W x D x H)		1,800 x 440 x 460 mm
	Seat height	460 mm
Version		
fixed	Item no.	51300..*
Fixed with ground plate	Item no.	51301..*
mobile	Item no.	51302..*


BASE ELEMENT FIXED




ADDITIONAL ELEMENT FIXED




BASE ELEMENT FIXED WITH GROUND PLATE




ADDITIONAL ELEMENT FIXED WITH GROUND PLATE

















BASE ELEMENT MOBILE



ADDITIONAL ELEMENT MOBILE



VISUALISATION	TECHNICAL DESCRIPTION	Item number	
SEAT PART, STRAIGHT OLYMPIA 	2-seat, straight with knee support made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51326 ..*	
SEAT PART, OUTDOORS OLYMPIA 	1-seat seats, curved 30° outwards made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51330 ..*	
SEAT PART, INDOORS OLYMPIA 	1-seat, curved 30°, seats inwards made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51328 ..*	
BACK REST, STRAIGHT OLYMPIA 	2-seat, straight with arm support made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51327 ..*	
BACK REST, OUTDOORS OLYMPIA 	1-seat, 30°, curved outwards made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51331 ..*	
BACK REST, INDOORS OLYMPIA 	1-seat, 30°, curved inwards made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51329 ..*	
FOOT, OUTER OLYMPIA 	Outer foot, straight, fixed, no frame Steel tube hot galvanised and powder coated	51907 ..*	
FOOT, MIDDLE OLYMPIA 	Middle foot, straight, fixed, no frame Steel tube hot galvanised and powder coated	51908 ..*	
FOOT, OUTER OLYMPIA 	Outer foot, fixed with ground plate Steel tube hot galvanised and powder coated	51949 ..*	
FOOT, MIDDLE OLYMPIA 	Middle foot, fixed with ground plate Steel tube hot galvanised and powder coated	51998 ..*	
FOOT, RIGHT OLYMPIA 	Foot right, mobile, no frame Steel tube hot galvanised and powder coated	51892 ..*	
FOOT, LEFT OLYMPIA 	Left foot, mobile, no frame Steel tube hot galvanised and powder coated	51891 ..*	
FOOT, MIDDLE OLYMPIA 	Middle foot, mobile, no frame Steel tube hot galvanised and powder coated	52001 ..*	
CLAMPING BRACKET OLYMPIA 	Clamping bracket Galvanised and powder coated	51893 ..*	

VISUALISATION	TECHNICAL DESCRIPTION	Item number	
SEAT PART, STRAIGHT OLYMPIA 	2-seat, straight with knee support made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	59754 ..*	
SEAT PART, STRAIGHT OLYMPIA 	3-seat, straight with knee support made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	51233 ..*	
SEAT PART, CURVED OLYMPIA 	1-seat, 30°, curved, with knee support made of steel tube and wire mesh, tube OD 30 mm, wire thickness 3 mm, mesh 15 x 15 mm, vortex sintered with Rilsan polyamide, coating thickness at least 350 µm	59714 ..*	
FOOT, FIXED OLYMPIA 	Fixed foot Steel tube hot galvanised and powder coated	51727 ..*	
FOOT, FIXED OLYMPIA 	Fixed foot with ground plate Steel tube hot galvanised and powder coated	51728 ..*	
FOOT, MOBILE OLYMPIA 	Mobile foot Steel tube hot galvanised and powder coated	51729 ..*	
OLYMPIA ACCESSORY WITHOUT BACK REST	Composed of: 4 x hex screws M10 x 75 8 x under plates 4 x hex nut M10 All parts made of stainless steel	5000707	





OUTSTANDING SEATED COMFORT

10 YEAR RUSTPROOFING GUARANTEE

QUALITY AND DESIGN

SEAT/TABLE COMBINATIONS

TABLES / CHAIRS

PRODUCT OVERVIEW

Individual combinations P. 128 – 131

Combination dimensions P. 140 – 141

Component combinations P. 142 – 143

Single pieces Tables P. 144 – 145

Table sizes P. 146 – 147

Table components P. 152 – 153



PARADOR

P. 132 – 137



BAMBINO

P. 138 – 139



SIENA MAXI

P. 148



QUADRI MAXI

P. 149



TABULA

P. 150 – 151



BRUNEI

P. 154



FOLDING TABLE

P. 154



ETNA

P. 155



OFFENBURG

P. 156 – 157

SEAT PARTS

HARMONY WITH BACK REST

HARMONY WITHOUT BACK REST

STYLE WITH BACK REST

STYLE WITHOUT BACK REST

SOLID TABLE TOP

HARMONY

STYLE

TABLE TOPS



SEAT/TABLE COMBINATIONS

DESIGN YOUR OWN SEAT/TABLE COMBINATION!

INSERTS

WIRE MESH 1-PIECE

WIRE MESH 3-PIECE

PAGWOOD

LARCH

RECYCLED PLASTIC

BAMBOO



PARADOR

BAMBINO

FOOT PARTS

SEAT PARTS




HARMONY 180
WITH BACK REST



STYLE 180
WITH BACK REST



HARMONY 180
WITHOUT BACK REST



STYLE 180
WITHOUT BACK REST



SOLID TABLE TOP



SOLID TABLE TOP
WIDE



WIRE MESH PLATE
HARMONY 180 WIDE



FRAME
STYLE 180 WIDE



SOLID TABLE TOP
NARROW



WIRE MESH PLATE
HARMONY 180 NARROW



FRAME
STYLE 180 WIDE SMALL





TABLE TOPS



INSERTS


WIRE MESH 1-PIECE

FOR SEAT PART / BACK REST /
TABLE TOP STYLE



WIRE MESH 3-PIECE

FOR SEAT PART / BACK REST /
TABLE TOP STYLE



PAGWOOD 3-PIECE

FOR SEAT PART / BACK REST /
TABLE TOP STYLE



LARCH 3-PIECE

FOR SEAT PART / BACK REST /
TABLE TOP STYLE




RECYCLED PLASTIC, 3-PIECE

FOR SEAT PART / BACK REST /
TABLE TOP STYLE



BAMBOO

FOR SEAT PART / BACK REST /
TABLE TOP STYLE




SEAT/TABLE COMBINATIONS

SEAT PARTS – INSERTS –
TABLE TOPS – FOOT PARTS



CROSS BRACE



CONNECTOR ROD FOR SOLID TABLE TOP



FOOT SET PARADOR



FOOT SET BAMBINO



FOOT PARTS

PARADOR / HARMONY

Harmony 180, 1x with und 1x without back rest
Colour white aluminium RAL 9006

Free set as a combination





WIRE MESH / SOLID TABLE TOP
PARADOR
HARMONY

FOR TECHNICAL DRAWINGS, PLEASE REFER TO P. 140

1



3



2



4



PARADOR / HARMONY	
Foot: 2x Parador, hot galvanised	
Colour white aluminium RAL 9006	
1	Seat parts: Harmony 180 without back rest Table tops: Harmony 180 wide
2	Seat parts: Harmony 180, 1x with and 1x without back rest Table tops: Harmony 180 wide
3	Seat parts: Harmony 180 with back rest Table tops: Solid table top, wide
4	Seat parts: Solid table top, narrow Table tops: Solid table top, wide

PARADOR / HARMONY

Seat and table part:
Solid table top, narrow

Price per seat/table combination





WIRE MESH / SOLID TABLE TOP
PARADOR
HARMONY / STYLE

FOR TECHNICAL DRAWINGS, PLEASE REFER TO P. 140

CHAIRS / TABLES /
COMBINATIONS

1



3



2



4



THE
YOUTH
BENCH

PARADOR / HARMONY	
Foot: 1x Parador, hot galvanised	
Colour white aluminium RAL 9006	
1	Seat part: Harmony 180 with back rest Table tops: Harmony 180 narrow
2	Seat part: Solid table top, narrow Table tops: Solid table top, narrow
3	Seat parts: Harmony 180 without back rest Table tops: Solid table top, narrow
4	Seat part: Style 180 without back rest with 3-piece larch insert Table tops: Solid table top, narrow

WIRE MESH / BAMBOO / LARCH

PARADOR

STYLE



FOR TECHNICAL DRAWINGS, PLEASE REFER TO P. 140

1



3



2



4



PARADOR / STYLE

Foot: 2x Parador, hot galvanised

Colour white aluminium RAL 9006

1	Seat parts: Style 180 without back rest with 1-piece wire mesh insert Table tops: Style 180 with 1-piece wire mesh insert (2x)	
2	Seat parts: Style 180 with/without back rest with 3-piece wire mesh insert Table tops: Style 180 with 3-piece wire mesh insert (2x)	
3	Seat parts: Style 180 with back rest with 3-piece bamboo insert Table tops: Style 180 with 3-piece bamboo insert (2x)	
4	Seat parts: Style 180 with back rest with 3-piece larch insert Table tops: Style 180 with 3-piece larch insert (2x)	



PARADOR

STYLE

FOR TECHNICAL DRAWINGS, PLEASE REFER TO P. 140

1



3



2



4



PARADOR / STYLE

Foot: 2x Parador, hot galvanised

Colour white aluminium RAL 9006

- | | | |
|---|---|--|
| 1 | Seat parts: Style 180 without back rest with 3-piece pagwood insert
Table tops: Style 180 with 3-piece pagwood insert (2x) | |
| 2 | Seat parts: Style 180 without back rest with 3-piece wire mesh insert
Table tops: Solid table top, wide | |
| 3 | Seat parts: Style 180 with/without back rest with 3-piece bamboo insert
Table tops: Solid table top, wide | |
| 4 | Seat parts: Style 180 with back rest with 3-piece larch insert
Table tops: Solid table top, wide | |

SOLID TABLE TOP / WIRE MESH / LARCH

BAMBINO / HARMONY / STYLE



FOR TECHNICAL DRAWINGS, PLEASE REFER TO P. 140

1



3



2



4



BAMBINO / HARMONY/ STYLE

Foot: 2x Bambino, hot galvanised

1	Seat parts: Solid table top, narrow Table tops: Solid table top, wide	
2	Seat parts: Style 180 without back rest with 3-piece larch insert Table tops: tyle 180 with three-piece larch insert (2x); frame colour white aluminium RAL 9006	
3	Seat parts: Harmony 180 without back rest; colour white aluminium RAL 9006 Table tops: Harmony 180, large; colour iron mica finish DB 703	
4	Seat parts: Style 180 without back rest with 3-piece wire mesh insert Wire mesh insert colour: White aluminium RAL 9006, frame colour: Iron mica finish DB 703 Table top: Solid table top, wide	



PAGWOOD / WIRE MESH / LARCH

BAMBINO / HARMONY / STYLE

FOR TECHNICAL DRAWINGS, PLEASE REFER TO P. 141

1



3



2



4



BAMBINO / HARMONY/ STYLE


Foot: 2x Bambino, hot galvanised; colour: White aluminium RAL 9006

- | | | |
|---|---|--|
| 1 | Seat part: Harmony 180 without back rest
Table top: Harmony 180 narrow | |
| 2 | Seat part: Style 180 without back rest with 3-piece larch insert
Table top: Style 180 with 3-piece larch insert | |
| 3 | Seat part: Style 180 without back rest with 3-piece pagwood insert
Table top: Style 180 with 3-piece pagwood insert | |
| 4 | Seat part: Style 180 without back rest with 3-piece wire mesh insert
Tabletop: Style 180 with 3-piece wire mesh insert | |

PARADOR


PARADOR DOUBLE

WITH HARMONY OR STYLE FRAME




PARADOR SINGLE

WITH HARMONY OR STYLE FRAME




PARADOR DOUBLE

WITH SOLID TABLE TOP




PARADOR SINGLE

WITH SOLID TABLE TOP




BAMBINO

BAMBINO DOUBLE
WITH HARMONY OR STYLE FRAME




BAMBINO SINGLE
WITH HARMONY OR STYLE FRAME




SEAT/TABLE COMBINATIONS







SEAT PARTS
SINGLE/DOUBLE
TABLE TOPS

BAMBINO DOUBLE
WITH SOLID TABLE TOP



BAMBINO SINGLE
WITH SOLID TABLE TOP



VISUALISATION	TECHNICAL DESCRIPTION	Item number	
SEAT ELEMENT HARMONY 180 WITH BACK REST 	Seat/back rest made of wire mesh and round tube throughout, diameter 38 mm. Mesh 15 x 15 mm, wire thickness 3.0 mm. Top wires transverse to seat direction. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 513 x 442 mm	53653 ..*	
SEAT/TABLE ELEMENT HARMONY 180 	Seat made of wire mesh and round tube, diameter 38 mm. Mesh 15 x 15 mm, wire thickness 3.5 mm. Top wires transverse to seat direction. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 430 x 48 mm	53656 ..*	
SEAT ELEMENT STYLE 180 WITH BACK REST 	Frame made of laser cut moulded parts and round tube, diameter 38 mm. All metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 521 x 449 mm	53659 ..*	
SEAT/TABLE ELEMENT STYLE 180 	Frame made of laser cut moulded parts and round tube, diameter 38 mm. All metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 436 x 47 mm	53660 ..*	
SEAT/TABLE ELEMENT, SOLID TABLE TOP, SMALL 	Solid table top made of pressed melamine resin coated decorative paper and 50 – 60 phenolic resin-impregnated core board. With pressed overlay. Decoration: Ceramico. Raw density 1350 kg/m³. Dimensions (W x D x H): 1,800 x 430 x 13 mm	5006973	
TABLE ELEMENT SOLID TABLE TOP, WIDE 	Solid table top made of pressed melamine resin coated decorative paper and 50 – 60 phenolic resin-impregnated core board. With pressed overlay. Decoration: Ceramico. Raw density 1350 kg/m³. Dimensions (W x D x H): 1,800 x 770 x 13 mm	5006972	
TABLE TOP HARMONY 180 WIDE 	Tabletop made of wire mesh and round tube, diameter 38 mm. Mesh 15 x 15 mm, wire thickness 3.5 mm. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 770 x 44 mm	53721..*	
TABLE ELEMENT STYLE 180 LARGE 	Frame made of laser cut moulded parts and round tube, diameter 38 mm. All metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 790 x 51 mm	53777..*	












VISUALISATION	TECHNICAL DESCRIPTION	Item number	
 <p>MESH INSERT STYLE 180</p>	<p>Wire mesh insert as seat/back rest, wire mesh throughout. Mesh 15 x 30 mm, wire thickness 4.0 mm. Top wires transverse to seat direction. With three mesh reinforcements for stabilisation. Chamfered wire ends. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.</p> <p>Dimensions (L x H x D): 1,771 x 345 x 38 mm</p>	53661 ..*	
 <p>MESH INSERT STYLE 180 3-PIECE</p>	<p>Wire mesh panel insert as seat/back rest, wire mesh throughout. Mesh 15 x 30 mm, wire thickness 4.0 mm. Top wires transverse to seat direction. With three mesh reinforcements for stabilisation. Chamfered wire ends. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.</p> <p>Dimensions (L x H x D): 1771 x 345 x 38 mm, panel width 105 mm</p>	53662..*	
 <p>PAGWOOD INSERT STYLE 180</p>	<p>Wood panel insert made of resin-impregnated and cross-banded plywood from local copper beech. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm</p>	5006873	
 <p>BAMBOO INSERT STYLE 180</p>	<p>Fiber bamboo planks. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm</p>	5006870	
 <p>LARCH INSERT STYLE 180</p>	<p>Wood panels made of natural larch. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm</p>	5006871	
 <p>RECYCLED PLASTIC INSERT STYLE 180</p>	<p>Recycled plastic planks, reinforced solid material, maintenance free, weather resistant. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm</p>	5006872	
 <p>FOOT SET PARADOR</p>	<p>Foot set Parador, set of two feet, mobile drilled, round tube, dia. 38 mm, fully hot galvanised.</p> <p>Foot dimensions (W x D x H): 38 x 952 x 685 mm</p>	5367117	
 <p>FOOT SET BAMBINO</p>	<p>Foot set Bambino, set of two feet, mobile drilled, round tube, dia. 38 mm, fully hot galvanised.</p> <p>Foot dimensions (W x D x H): 38 x 952 x 485 mm</p>	5367317	
 <p>CROSS BRACE</p>	<p>Cross brace made of round tube, dia. 38 mm, fully hot galvanised.</p> <p>Dimensions (W x D x H): 1,725 x 38 x 65 mm</p>	5367217	
 <p>CONNECTOR ROD</p>	<p>Connector rod for solid table top, made of laser cut moulded parts and 50 x 50 mm pipe, fully hot galvanised. For stabilising/supporting the solid table top as seat or table part.</p> <p>Dimensions (W x D x H): 1,750 x 160 x 61 mm</p>	5371617	
 <p>GROUND ANCHOR SET</p>	<p>Ground anchor set made of round tube, dia. 30 mm, enables all Erlau seat/table combinations to be cast into the foundation. Incl. anti-theft fitting</p> <p>Dimensions (W x H): 30 x 300 mm</p>	5006938	
<p>L KEY SET</p>	<p>Suitable for the installation of benches, living room suites and ground anchors. Composed of: 1x Hexagonal Allen key SW7 1x Torx 40 Allen key with drilling 1x Torx 45 Allen key with drilling</p>	5007227	
<p>SHEAR NUT SET</p>	<p>Composed of: 14x shear nut M10 A2</p>	5007154	

TABLE TOPS



WIRE MESH PLATE
HARMONY 180 WIDE



SOLID TABLE TOP
WIDE



CROSS BRACE



CONNECTOR ROD
FOR SOLID TABLE TOP



STYLE FRAME
WIDE



RECYCLED PLASTIC



WIRE MESH 3-PIECE



PAGWOOD



LARCH



BAMBOO



WIRE MESH 1-PIECE



INSERTS

FEET

TABULA FOOT SET, MOBILE



TABULA FOOT SET, FIXED



TABLES TABULA / SIENA

CONFIGURE YOUR OWN TABLE WITH TABLE TOPS AND MOBILE OR
FIXED FEET

SIENA MAXI FOOT SET
FIXED



QUADRI MAXI FOOT



HARMONY

TABLE TOP HARMONY WIRE MESH
TABULA FEET, FIXED






TABLE TOP HARMONY WIRE MESH
TABULA FEET, DRILLED, MOBILE



SOLID TABLE TOP
TABULA FEET, FIXED



SOLID TABLE TOP
TABULA FEET, MOBILE, DRILLED




TABLE TOP STYLE – TABULA FEET, FIXED





TABLE TOP STYLE – TABULA FEET, MOBILE



STYLE

HARMONY/STYLE SIENA

TABLE TOP HARMONY WIRE MESH – SIENA MAXI FEET, FIXED




TABLE TOP STYLE – SIENA MAXI FEET, FIXED




TABLE TOP HARMONY WIRE MESH – QUADRI FEET MAXI MOBILE





TABLE TOP STYLE – QUADRI FEET MAXI MOBILE



HARMONY/STYLE QUADRI

TABLE
SIENA MAXI
HARMONY / STYLE / BENCH/TABLE COMBINATION



SIENA MAXI HARMONY WIRE MESH PLATE	
Foot: Siena Maxi, hot galvanised Table top: Harmony 180 wide Colour white aluminium RAL 9006	fixed



SIENA MAXI STYLE INSERT: RECYCLED PLASTIC	
Foot: Siena Maxi, hot galvanised Tabletop: Style with three-piece recycled plastic insert (2x) Colour white aluminium RAL 9006	fixed



SIENA BENCH AND TABLE COMBINATION	
Foot: Siena and Siena Maxi, hot galvanised Tabletop: Harmony 180 large, seat part: Harmony 180 with or without back rest Colour white aluminium RAL 9006	fixed



TABLE
QUADRI MAXI
HARMONY / STYLE / BENCH/TABLE COMBINATION



QUADRI MAXI HARMONY WIRE MESH PLATE	
Foot: Quadri Maxi Tabletop: Harmony 180 wide Hot galvanised cross brace Colour white aluminium RAL 9006	mobile



QUADRI MAXI STYLE INSERT: BAMBOO	
Foot: Quadri Maxi Tabletop: Style 180 large Hot galvanised cross brace Colour white aluminium RAL 9006	mobile



QUADRI BENCH AND TISCH COMBI- NATION	
Foot: Quadri and Quadri Maxi Frame: Style Insert: Larch	mobile

TABLE

TABULA

MOBILE, DRILLED / FIXED TO BE SET IN CONCRETE



TABULA HARMONY WIRE MESH PLATE		
Foot: Tabula mobile, colour white aluminium RAL 9006, table top: Harmony 180 large, colour white aluminium RAL 9006 Hot galvanised cross brace	mobile	fixed



TABULA SOLID TABLE TOP		
Foot: Tabula fixed, colour white aluminium RAL 9006, table top: Solid table top, wide Hot galvanised cross brace	mobile	fixed



TABULA STYLE		
Foot: Tabula mobile, colour white aluminium RAL 9006 Table top: Style with three-piece larch insert (2x) Hot galvanised cross brace	mobile	fixed



TABULA STYLE		
Foot: Tabula fixed, colour white aluminium RAL 9006, table top: Style with 1-piece wire mesh insert (2x) Hot galvanised cross brace	mobile	fixed





TABULA STYLE		
Foot: Tabula mobile, colour white aluminium RAL 9006	mobile	fixed
Tabletop: Style with three-piece bamboo insert (2x), hot galvanised cross brace		










TABULA STYLE		
Foot: Tabula fixed, colour white aluminium RAL 9006, table top: Style with three-piece Wire mesh insert (2x), hot galvanised cross brace	mobile	fixed











TABULA STYLE		
Foot: Tabula mobile, colour anthracite grey RAL 7016	mobile	fixed
Table top: Style with one-piece wire mesh insert (2x), hot galvanised cross brace		



TABULA STYLE		
Foot: Tabula fixed, colour white aluminium RAL 9006, table top: Style with three-piece pagwood insert (2x), hot galvanised cross brace	mobile	fixed

VISUALISATION	TECHNICAL DESCRIPTION	Item number	
SOLID TABLE TOP, WIDE 	Solid table top made of pressed melamine resin coated decorative paper and 50 – 60 phenolic resin-impregnated core board. With pressed overlay. Decoration: Ceramico. Raw density 1350 kg/m³. Dimensions (W x D x H): 1,800 x 770 x 13 mm	5006972	
HARMONY 180 WIDE 	Table top made of wire mesh and round tube, diameter 38 mm. Mesh 15 x 15 mm, wire thickness 3.5 mm. With two mesh reinforcements for optical seat separation and stabilisation. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 770 x 4 mm	53721..*	
TABLE ELEMENT STYLE 180 LARGE 	Frame made of laser cut moulded parts and round tube, diameter 38 mm. Al metal parts are vortex sintered with Rilsan polyamide, coating thickness at least 350 µm. Dimensions (W x D x H): 1,800 x 790 x 51 mm	53777..*	
TABULA FOOT, MOBILE DRILLED 	Foot Tabula, set of four feet, mobile drilled, made of round tube, dia. 38 mm, fully hot galvanised and powder coated. Foot dimensions (W x D x H): 38 x 348 x 686 mm	53723..*	
TABULA FOOT, FIXED 	Foot Tabula, set of four feet, fixed, round tube, dia. 38 mm, fully hot galvanised and powder coated. Foot dimensions (W x D x H): 38 x 316 x 955 mm	53717..*	
SIENA MAXI FOOT FIXED 	Siena Maxi foot, set consisting of four foot parts, L-shaped square foot 50 x 50 mm. For fixed installation into the foundation. Fully hot galvanised. Dimensions (W x D x H): 250 x 50 x 1000 mm Variant FP 150 Dimensions (W x D x H): 250 x 50 x 836 mm	5373117 5373217	
QUADRI MAXI MOBILE FOOT 	Foot from laser cut profile. Bent and formed into a right angle. For mobile installation on FFB 0. Simple theft-proof anchoring with integrated mounting brackets. Floor anchor for sinking into foundation available as option (surcharge applies). Fully hot galvanised and powder coated. The Quadri Maxi foot cannot be combined with Solid table top 5006972. Dimensions (W x H): 430 x 730 mm	53829..*	

VISUALISATION	TECHNICAL DESCRIPTION	Item number	
<p>MESH INSERT STYLE 180</p> 	<p>Wire mesh insert as seat and/or back rest, with end-to-end wire mesh. Mesh 15 x 30 mm, wire thickness 4.0 mm. Top wires transverse to seat direction. With three mesh reinforcements for stabilisation. Chamfered wire ends. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.</p> <p>Dimensions (L x H x D): 1,771 x 345 x 38 mm</p>	53661 ..*	
<p>MESH INSERT STYLE 180 3-PIECE</p> 	<p>Wire mesh panel insert as seat/back rest, wire mesh throughout. Mesh 15 x 30 mm, wire thickness 4.0 mm. Top wires transverse to seat direction. With three mesh reinforcements for stabilisation. Chamfered wire ends. Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.</p> <p>Dimensions (L x H x D): 1771 x 345 x 38 mm, panel width 105 mm</p>	53662..*	
<p>PAGWOOD INSERT STYLE 180</p> 	<p>Wood panel insert made of resin-impregnated and cross-banded plywood from local copper beech. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, panel width 100 mm</p>	5006873	
<p>BAMBOO INSERT STYLE 180</p> 	<p>Fiber bamboo planks. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, plank width 100 mm</p>	5006870	
<p>LARCH INSERT STYLE 180</p> 	<p>Wood panel made of natural larch. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, plank width 100 mm</p>	5006871	
<p>RECYCLING PLASTIC INSERT STYLE 180</p> 	<p>Recycled plastic planks, reinforced solid material, maintenance free, weather resistant. To be screwed as seat/back rest.</p> <p>Dimensions (L x H x D): 1,770 x 340 x 40 mm, plank width 100 mm</p>	5006872	
<p>CONNECTOR ROD</p> 	<p>Connector rod for solid table top, made of laser cut moulded parts and 50 x 50 mm tube, fully hot galvanised To stabilise/support the solid table top as seat or table part.</p> <p>Dimensions (W x D x H): 1,750 x 160 x 61 mm</p>	2x 5371617	
<p>CROSS BRACE</p> 	<p>Cross brace made of round tube, dia. 38 mm, fully hot galvanised.</p> <p>Dimensions (W x D x H): 1,725 x 38 x 65 mm</p>	5367217	
<p>SHEAR NUT SET</p>	<p>Composed of: 14x shear nut M10 A2</p>	5007154	

STACKING TABLE

BRUNEI

80 x 80 cm

120 x 80 cm

STANDARD VERSION:

- A perfect table for outdoor use.
- Stackable

MATERIAL:

- Aluminium frame, silver-coloured.
- HPL silver-coloured table top.



BRUNEI STACKABLE TISH

Dimensions (W x D x H): 80 x 80 x 73.5 cm

Item no.	5006983	
----------	---------	--

BRUNEI STACKABLE TISH

Dimensions (W x D x H): 120 x 80 x 73.5 cm

Item no.	5006984	
----------	---------	--

NEW

FOLDING TABLE

WITH DECOR TOP

120 x 80 cm

165 x 95 cm

- Rimless table top edge, weatherproof, acid resistant, impact-resistant, glow-resistant and cold-resistant.
- Elegant base with height-adjustable feet providing optimum stability.
- The folding mechanism allows the tables to be stowed away and then easily reopened.

COLOUR VARIANTS:

- Graphite frame, slate look table top.



SMALL FOLDING TABLE

Size: 120 x 80 x 73 cm

Item no.	5006134	
----------	---------	--



LARGE FOLDING TABLE

Size: 165 x 95 x 73 cm

Item no.	5006133	
----------	---------	--

STANDARD VERSION:

- Stackable chair with arm rest, aluminium frame, seat and back rest covering. Stainless steel screws
Suitable for outdoor use.

- Delivery as a four-piece set.

COLOUR VARIANTS:

- Aluminium silver-coloured frame, cappuccino covering

 STACKING CHAIR
ETNA






WITH BACK REST

CHAIRS / TABLES /
COMBINATIONS**ETNA HIGH-BACK WITH ARM REST (4-piece SET)**

Dimensions (W x D x H): 80 x 80 x 73.5 cm

Seat height 445 mm

Item no. 5007015



CHAIR

OFFENBURG


ROW CONNECTOR

FOTO CAPS

STANDARD VERSION:

- Seat and back rest are made of wire mesh and round tube, diameter 25 mm.
- Feet/arm rests are made of round tube, diameter 25 mm.
- Grid 15 x 18 mm, wire thickness 3.0 mm.
- Top wires are transverse to seat direction.
- Vortex sintered with Rilsan polyamide, coating thickness at least 350 µm.






For arena seating, we recommend using our row connectors. The chairs are then connected to each other in a straight line and are thus hard to move. Offenburg chairs can be stacked to save space in storage.




Landesgartenschau (Regional garden show), Schwäbisch Gmünd:


CHAIR OFFENBURG	
Dimensions (W x D x H): 612 x 611 x 816 mm	
Seat height:	454 mm
Item no.	58021 ..*



CHAIR OFFENBURG WITH ROW CONNECTOR	
Dimensions (W x D x H): 677 x 611 x 816 mm	
Seat height:	454 mm
Item no.	53234 ..*



SPARE PART FOOT CAP	
Circular dimensions: dia. 25 mm	
Colour:	black
Item no.	5006355



10-YEAR RUSTPROOFING GUARANTEE	Maintenance-free quality for the highest demands
OUTSTANDING SUN LOUNGER COMFORT	Ergonomic design with thermo effect + adjustment options
LONG LIFE	Cold and heat resistant, lightfast plastic
DEPOSIT SYSTEM	Use of deposit cards or coin-operated locks possible
QUALITY AND DESIGN	

SUN LOUNGERS

PRODUCT OVERVIEW



BORNHOLM

p. 160



EVA

p. 161



MARINA

p. 162



MARINA DEPOSIT SYSTEM

p. 163



MINI SUN LOUNGER

p. 164



MINI TABLE

p. 164

WIRE MESH SUN LOUNGER BORNHOLM

TILTING

ACCESSORIES:
COVER / NECK SUPPORT


- Tilting sun lounge surface in wire mesh and round tube throughout, diameter 25 mm.
- Frame made of round tube, dia. 25 mm.
Mesh 15 x 20 mm, wire thickness 3.0 mm.
- Top wires transverse to the lying direction.
- Vortex sintered with polyamide Rilsan, coating thickness at least 350 µm.

ACCESSORIES:

- Cover and neck support




SUN LOUNGER BORNHOLM	
Dimensions (W x D x H) 602 x 1,543 x 1,209 mm	
Seat height	460 mm
Ground contact	Mobile
Item no.	52238 ..*



COVER FOR BORNHOLM SUN LOUNGER	
Design	7 cm thick
Item no.	5006720 (blue check) with webbing
Item no.	5007163 (red) with cord lace centrally fitted

NECK REST FOR BORNHOLM SUN LOUNGER	
Item no.	5006722 (blue check)
Item no.	5007164 (red)



- 2-piece, stackable, white, weather resistant plastic frame with metal tube reinforcements and exchangeable foot rests.
- With 4-way adjustable head part.
- Delivery as a two-piece set.


COLOUR VARIANTS:

- White frame; blue, yellow, orange covering.

PLASTIC SUN LOUNGER


EVA

STACKABLE

EVA ADJUSTABLE HEAD PART (2-piece SET)			
			
Dimensions (W x D x H) 770 x 1,940 x 570 mm			
Seat height		370 mm	
Weight		14 kg / 1 pc.	
Spare part		Spare coverings / rubber rope	
RG design Blue covering White frame	Item no.	5007021	
RG design Yellow covering White frame	Item no.	5007022	
RG design Orange covering White frame	Item no.	5007270	

RG design

with adjustable head part, with covering



SPARE COVERINGS AND RUBBER ROPE (10-piece SET)			
Blue	Item no.	5007018	
Yellow	Item no.	5007016	
Dark green	Item no.	5007017	

Blue



Orange



Yellow



Dark green



ALUMINIUM SUN LOUNGER MARINA

STACKABLE

EXCHANGEABLE FOOT RESTS

5-WAY ADJUSTABLE

- Stackable, colour-coated, weather resistant aluminium sun lounger with exchangeable foot rests.
- With 5-way adjustable head part and exchangeable, antibacterial, double cross woven, coloured and seal-heated covering with memory effect.
- Delivery as a two-piece set.

COLOUR VARIANTS:

- Silver-coloured frame, cappuccino covering.

**MARINA SUN LOUNGER (2-piece SET)**

Dimensions (W x D x H) 680 x 1,940 x 360 mm

Seat height 360 mm

Weight 9 kg

Colour Cappuccino covering, silver-coloured frame

Item no. 5007019



Cappuccino



- In line with the self-service principle, your bathers can borrow a sun lounger either with a deposit card or a coin-operated lock:
- No additional staff expenses
- Your bathing area is "cleaned up" every night.
- Increased attractiveness for your guests thanks to more sun loungers.
- The stand is delivered with a blanko board for individual printing.

ALUMINIUM SUN LOUNGER MARINA

DEPOSIT SYSTEM

MARINA SUN LOUNGER	
CARD LOCK for deposit cards that can be lent with a surcharge (e.g. at checkout)	
Item no.	5006495
2€ LOCK 2-€ coin operated lock for Marina sun lounger	
Item no.	5006452
KEY CARD (50-piece SET)	
Item no.	5007038
STANDS WITH BLANKO BOARD for depot station, incl. initial chain, colour iron mica finish DB 703	
Item no.	5353532
INITIAL CHAIN	
Item no.	5006453



ALUMINIUM DECK CHAIR

MINI SUN LOUNGER

STACKABLE


- Stackable, colour-coated, weather resistant aluminium deck chair
- Rounded corners and edges
- Fixed, non-adjustable back rest
- Feet protected by non-slip plastic inserts
- Deposit system optional at extra cost
- Delivery as a four-piece set

COLOUR VARIANTS:

- Silver-coloured frame, cappuccino covering



MINI SUN LOUNGER (4-PIECE SET)	
Dimensions (W x D x H) 770 x 570 x 940 mm	
Seat height	380 mm
Weight	4.8 kg / 1 pc.
Colour	Silver-coloured frame, cappuccino covering
Item no.	5007271



PLASTIC

MINI TABLE

STACKABLE

- Stackable, white or coloured, weather resistant plastic mini table with 4 tumblers & holders with mesh bases and thus also easy to clean.
- Exceptionally robust and warp resistant design.
- Matching EVA and MARINA plastic sun loungers.



PLASTIC MINI TABLE	
Dimensions (W x D x H) 480 x 480 x 380 mm	
Colour	White
Weight	2 kg
Item no.	5005419



TIDIED UP.

City and country tested, ready for hardship cases.

HIGH QUALITY DESIGN

WORRY FREE MATERIALS

ERGONOMIC HANDLING

FLEXIBLE MOUNTING

VANDALPROOFED



TRASH CANS

PRODUCT OVERVIEW




VASURA PLUS

**NOW
NEW**

The modular litter bin

Configure your litter bin and decide yourself the following:



NEW


- Litter bin 35 / 60 l
- **Lidless and without ash tray**
- Base frame completely hot galvanised or hot galvanised and powder coated
- Polished, stainless steel flathead
- Lockable container
- Swivel doors
- With bag holder
- Inner container option available
- Mobile skirting board set
- Fixed:
 1. Fastened to the floor FPO
 2. For concrete embedment
 3. With 60 mm base for installation in the foundation
- Wall fastened

VASURA PLUS


35 / 60 L

LIDLESS,
WITHOUT ASH TRAY


Mobile with skirting board set VASURA PLUS	35 M	60 M
FPO		
Mobile without skirting board set VASURA PLUS	35 B	60 B




Fixed, for concrete embedment VASURA PLUS	35 F	60 F



Fixed with base VASURA PLUS	35 O	60 O



Wall mounting VASURA PLUS	35 W	60 W





NEW



VASURA PLUS 35 / 60 L

WITH LID,
WITHOUT ASH TRAY



- Litter bin 35 / 60 l
- With lid, without ash tray
- Base frame completely hot galvanised or hot galvanised and powder coated
- Polished, stainless steel flathead
- Lockable container
- Swivel doors
- With bag holder
- Inner container option available
- Mobile skirting board set
- Fixed:
 1. Fastened to the floor FPO
 2. For concrete embedment
 3. With 60 mm base for installation in the foundation
- Wall fastened





Mobile with skirting board set VASURA PLUS	35 MD	60 MD
FPO Mobile without skirting board set VASURA PLUS	35 BD	60 BD



Fixed, for concrete embedment VASURA PLUS	35 FD	60 FD



Fixed with base VASURA PLUS	35 OD	60 OD



Wall mounting VASURA PLUS	35 WD	60 WD

NEW

VASURA PLUS 35 / 60 L

WITH LID,
WITH ASH TRAY


- Litter bin 35 / 60 l
- With lid and ash tray
- Base frame completely hot galvanised or hot galvanised and powder coated
- Polished, stainless steel flathead
- Lockable container
- Swivel doors
- With bag holder
- Optional with inner container
- Mobile skirting board set
- Fixed:
 1. Fastened to the floor FPO
 2. For concrete embedment
 3. With 60 mm base for installation in the foundation
- Wall fastened

Mobile with skirting board set VASURA PLUS	35 MAD	60 MAD
FPO Mobile without skirting board set VASURA PLUS	35 BAD	60 BAD

Fixed, for concrete embedment VASURA PLUS	35 FAD	60 FAD

Fixed with base VASURA PLUS	35 OAD	60 OAD

Wall mounting VASURA PLUS	35 WAD	60 WAD



VASURA PLUS 35 / 60 L

NEW

Examples of custom configurations
Decide colour, material and accessories yourself

VASURA PLUS 35 / 60 WITHOUT LID, WITHOUT ASH TRAY, RECYCLED PLASTIC AND LARCH



	35 M	60 M



	35 O	60 O

VASURA PLUS 35 / 60 WITH LID, WITHOUT ASH TRAY, LARCH AND BAMBOO



	35 BD	60 BD



	35 OD	60 OD




VASURA PLUS 35 / 60 WITH LID AND ASH TRAY, BAMBOO AND PAGWOOD



	35 MAD	60 MAD



	35 OAD	60 OAD

VISUALISATION	TECHNICAL DESCRIPTION	Base frame / Container volume	Item number	
	Base frame completely hot galvanised or hot galvanised and powder coated, stainless steel polished flathead incl. bag holding ring and 7mm square lock	Hot galvanised / 35l 35l Hot galvanised / 60l 60l	5381917 53819..* 5382017 53820..*	
	Aluminium inner container	35l 60l	5007284 5007285	
	Metal sheet door set, completely hot galvanised or hot galvanised and powder coated	Hot galvanised / 35l 35l Hot galvanised / 60l 60l	5382117 53821..* 5382217 53822..*	
	Larch door set, wooden planks made of untreated larch	35l 60l	5007286 5007290	
	Bamboo set door, wood planks from bamboo fiber	35l 60l	5007287 5007291	
	Pagwood door set, wood planks made of resin-impregnated and laminated veneer lumber from indigenous beech.	35l 60l	5007288 5007292	
	Recycled plastic door set, planks made of recycled plastic.	35l 60l	5007289 5007293	
	Fixed holder, diameter 60 mm, for fixed Installation in the foundation, completely hot galvanised or galvanised and powder coated	Hot galvanised / 35l 35l Hot galvanised / 60l 60l	5382317 53823..* 5382417 53824..*	
	Foot set, fixed, for fixed installation in the foundation, completely hot galvanised or hot galvanised and powder coated	Hot galvanised	5382517 53825..*	
	Foot set, FPO, for fixed installation on FFB 0, completely hot galvanised or hot galvanised and powder coated	Hot galvanised	5382617 53826..*	
	Skirting board set made of stainless steel, for mobile installation on FFB 0		5007294	
	Aluminium, powder coated lid		53827..*	
	Lid with ash tray, made of aluminium, powder coated, Ash tray insert made of stainless steel		53828..*	
	Wall mounting set, for mounting on existing walls, made of stainless steel		5007296	

CAMBIO 60 I.

ASH TRAY INSERT


INTERNAL CONTAINER 60 L


KEY

- Octagonal steel sheet container, gauge 2 – 4 mm.
- Complete metal container, internal frame for improved stability and strength, square tube 40 x 20 mm.
- With inner container and 7 mm square lock, self-locking with inner emergency opening.
- Body completely hot galvanised and powder coated.
- Internal container made of galvanised steel sheet. Ash tray retrofittable.

WITH GRAFFITI-RESISTANT COATING



	CAMBIO 60 I.	
	Dimensions (W x D x H) 529 x 410 x 888 mm	
	Ground contact	Mobile drilled
Colour/surfaces		
White aluminium RAL 9006	Item no.	5349941
Metallic grey DB-703	Item no.	5349943



Accessories	ASH TRAY INSERT CAMBIO 60/90 L	
	Material	Stainless steel ash tray, upgradeable
	Item no.	5305924





CAMBIO 90 I.

ASH TRAY INSERT

INTERNAL CONTAINER 90 L


KEY

	CAMBIO 90 I.	
	Dimensions (W x D x H) 529 x 410 x 1,058 mm	
	Ground contact	Mobile drilled
Colour/surfaces		
White aluminium RAL 9006	Item no.	5355141
Metallic grey DB-703	Item no.	5355143



Spare part	KEY CAMBIO 60/90 L. (10 pc SET)	
	Insert	for 7 mm rectangular lock, Cambio 60 and 90 I.
	Item no.	5007108

Spare part	INTERNAL CONTAINER CAMBIO 60/90 L.	
	Material	Galvanised steel sheet
Cambio 60 I	Item no.	5304917
Cambio 90 I	Item no.	5298017



LITTER BIN ZAC WITH ASH TRAY

CONTAINER 60 L.

DROP BOTTOM EMPTYING


- 60 l container with drop bottom emptying.
- Unlocking with 8 mm triangular lock.
- Version with integrated ash tray.
- Container galvanised and lacquered in DB-703.
- Brushed stainless steel flap.
- Fastening with Mounts with standpipe for sinking into concrete.

**ASH TRAY ZAC**

Dimensions (W x H) 364 x 630 mm

Diameter 364 mm

Item no. 5007008



LITTER BIN COLIN WITH ASH TRAY

CONTAINER 74 L.


BAG EMPTYING

- Container 74 l. with bag emptying.
- Cover releases with 8 mm triangular lock.
- Version with integral ash tray and bag clamp.
- Brushed stainless steel container with chromed ash tray flap.
- Mounts with pillar for sinking into concrete.
- Pillar galvanised and lacquered DB-703.

ASH TRAY COLIN

Dimensions (W x D x H) 460 x 327 x 805 mm

Item no. 5007007





- 60 l container with door and inner container emptying.
- Door opening with 8 mm triangular lock.
- All parts galvanised and double lacquered.
- Front and back with design nubs.
- Container feet lacquered in DB 703 for fixed bolted installation.
- Front sides in RAL 9006.
- Front with silk-screen printed cleaning figures.

ASH TRAY MATZ

Dimensions (W x D x H) 420 x 280 x 1,100 mm

Colour Front RAL 9006

Item no. 5007006





- 80-litre container for recyclable material separation, single or multiple side-by-side combination.
- Door releases with 8 mm triangular lock. Bag emptying.
- Integrated bag clamp.
- All parts galvanised and double lacquered in DB-703.
- Coloured flap option.
- Version free-standing or fixed for bolting to foundation (fasteners not included).

RECYCLABLE MATERIAL SEPARATOR KOMBI FLEX

Dimensions (W x D x H) 450 x 450 x 970 mm

Item no. 5007009


 RECYCLABLE MATERIAL SEPARATOR
KOMBI FLEX

CONTAINER 80 L.

BAG EMPTYING


WITHOUT LID / WITHOUT ASH TRAY VASURA 35 I.

FIXED FOR CONCRETE


EMBEDMENT / MOBILE /

WALL MOUNTED


- 35 l litter bin without ash tray.
- Swivel container, suspended and lockable with 8 mm triangular lock, container dia. 300 mm.
- Available with/without lid.
- Feet made of round tube, dia. 42 mm.
- Optional with inner container
- Body completely hot galvanised or hot galvanised with powder coated option.
- Fixed for concrete embedment, mobile, with straps, wall mounting.



VASURA 35 WITHOUT LID / WITHOUT ASH TRAY			
Dimensions (W x H) approx. 400 x 830 mm			
Version		Ground contact Fixed for sinking into the foundation slab	
coated	Item no.	51466..*	
Hot galvanised	Item no.	5146517	



VASURA 35 M WITHOUT LID / WITHOUT ASH TRAY			
Dimensions (W x H) approx. 400 x 830 mm			
Version		Ground contact Mobile drilled	
coated	Item no.	51468..*	
Hot galvanised	Item no.	5146717	



VASURA 35 W WITHOUT LID / WITHOUT ASH TRAY			
Dimensions (W x H) approx. 400 x 830 mm			
Version		Ground contact Wall mounting	
coated	Item no.	51472..*	
Hot galvanised	Item no.	5147117	

Accessories			INNER CONTAINER 35I WITHOUT ASH TRAY
	Item no.	501429	



 WITH LID / WITHOUT ASH TRAY
VASURA 35 I.

FIXED FOR CONCRETE


EMBEDMENT / MOBILE /

WALL MOUNTED


VASURA 350 D WITH LID / WITHOUT ASH TRAY			
Dimensions (W x H) 475 x 1,090 mm			
Version	Ground contact	Fixed for sinking into the foundation slab	
coated	Item no.	51482..*	
Hot galvanised	Item no.	5148117	



VASURA 35 MD WITH LID / WITHOUT ASH TRAY			
Dimensions (W x H) 475 x 1,090 mm			
Version	Ground contact	Mobile drilled	
coated	Item no.	51484..*	
Hot galvanised	Item no.	5148317	



VASURA 35 WD WITH LID / WITHOUT ASH TRAY			
Dimensions (W x H) 475 x 1,090 mm			
Version	Ground contact	Wall mounting	
coated	Item no.	51488..*	
Hot galvanised	Item no.	5148717	




Accessories			
INNER CONTAINER 35I WITHOUT ASH TRAY			
	Item no.	501429	


WITH/WITHOUT LID / WITH ASH TRAY VASURA 35 I.

FIXED FOR CONCRETE EMBEDMENT /
MOBILE / WALL MOUNTED


- Swivel container, suspended and lockable with 8 mm triangular lock, container dia. 300 mm.
- Available with/without lid.
- Ash tray made of aluminium, stainless steel perforated insert.
- Feet made of round tube, dia. 42 mm.
- Internal container option available (recommended).
- Body completely hot galvanised or hot galvanised and coated, internal container made of aluminium.
- Fixed for concrete embedment, mobile, with straps, wall mounting.



VASURA 35 OA WITHOUT LID / WITH ASH TRAY		
Dimensions (W x H) approx. 400 x 830 mm		
Version	Ground contact	Fixed for sinking into the foundation slab
coated	Item no.	51498..*
Hot galvanised	Item no.	5149717



VASURA 35 MA WITHOUT LID / WITH ASH TRAY		
Dimensions (W x H) approx. 400 x 830 mm		
Version	Ground contact	Mobile drilled
coated	Item no.	51500..*
Hot galvanised	Item no.	5149917




VASURA 35 WA WITHOUT LID / WITH ASH TRAY		
Dimensions (W x H) approx. 400 x 830 mm		
Version	Ground contact	Wall mounting
coated	Item no.	51504..*
Hot galvanised	Item no.	5150317


Accessories		
INNER CONTAINER 35I WITH ASH TRAY		
	Item no.	5002118




	VASURA 350 AD WITH LID / WITH ASH TRAY	
	Dimensions (W x H) 475 x 1,090 mm	
Version	Ground contact Fixed for sinking into the foundation slab	
coated	Item no.	51514..*
Hot galvanised	Item no.	5151317



	VASURA 35 MAD WITH LID / WITH ASH TRAY	
	Dimensions (W x H) 475 x 1,090 mm	
Version	Ground contact Mobile drilled	
coated	Item no.	51516..*
Hot galvanised	Item no.	5151517



	VASURA 35 WAD WITH LID / WITH ASH TRAY	
	Dimensions (W x H) 475 x 1,090 mm	
Version	Ground contact Wall mounting	
coated	Item no.	51520..*
Hot galvanised	Item no.	5151917



Accessories	INNER CONTAINER 35I WITH ASH TRAY	
	Item no.	5002118


WITH/WITHOUT LID / WITHOUT ASH TRAY
VASURA 60 I.

FIXED FOR SINKING


INTO THE FOUNDATION

SLAB / MOBILE


- Swivel container, suspended and lockable with 8 mm triangular lock, container dia. 366 mm.
- Available with/without lid/ash tray.
- 60 l waste container with ash tray:
As tray made of aluminium, stainless steel insert.
- Feet made of round tube, dia. 42 mm. Optional with internal container.
- Body completely hot galvanised or hot galvanised and powder coated.
- Fixed for concrete embedment, mobile.



VASURA 60 O WITHOUT LID / WITHOUT ASH TRAY		
Dimensions (W x H) 35 x 950 mm		
Version	Ground contact	Fixed for sinking into the foundation slab
coated	Item no.	51255..*
Hot galvanised	Item no.	5923917



VASURA 60 OD WITH LID / WITHOUT ASH TRAY		
Dimensions (W x H) 535 x 1,210 mm		
Version	Ground contact	Fixed for sinking into the foundation slab
coated	Item no.	59237..*
Hot galvanised	Item no.	5923817



VASURA 60 MD WITH LID / WITHOUT ASHTRAY		
Dimensions (W x H) 535 x 1,219 mm		
Version	Ground contact	Mobile
coated	Item no.	59347..*
Hot galvanised	Item no.	5934817


Accessories		
INNER CONTAINER 60I WITHOUT ASH TRAY		
	Item no.	501431





WITH ASH TRAY VASURA 60 I.

FIXED FOR SINKING
INTO THE FOUNDATION
SLAB / MOBILE



VASURA 60 OA WITHOUT LID / WITH ASH TRAY		
Dimensions (W x H) 535 x 950 mm		
Version	Ground contact	Fixed for sinking into the foundation slab
coated	Item no.	52987..*
Hot galvanised	Item no.	5298817





VASURA 60 OAD WITH LID / WITH ASH TRAY		
Dimensions (W x H) 535 x 1,210 mm		
Version	Ground contact	Fixed for sinking into the foundation slab
coated	Item no.	52995..*
Hot galvanised	Item no.	5299617



VASURA 60 MA WITHOUT LID / WITH ASH TRAY		
Dimensions (W x H) 535 x 950 mm		
Version	Ground contact	Mobile
coated	Item no.	52991..*
Hot galvanised	Item no.	5299217



VASURA 60 MAD WITH LID / WITH ASH TRAY		
Dimensions (W x H) 4535 x 1,219 mm		
Version	Ground contact	Mobile
coated	Item no.	52999..*
Hot galvanised	Item no.	5300017



Accessories		
INNER CONTAINER 60I WITH ASH TRAY		
	Item no.	5002119

SPARE PARTS / ACCESSORIES

VASURA 35/60 I

CONTAINERS

INSERTS

LIDS

ACCESSORIES	VASURA 35	
Internal container in aluminium for bins 35 l with ash tray	Item no. 501429	
Internal container in aluminium for bins 35 l with ash tray	Item no. 5002118	

ACCESSORIES	VASURA 60	
Internal container in aluminium for bins 60 l with ash tray	Item no. 501431	
Internal container in aluminium for bins 60 l with ash tray	Item no. 5002119	

SPARE PART	VASURA 35	
Ash tray insert completely made of aluminium for Vasura 35 l	Item no. 501358	
Opening insert completely made of stainless steel for Vasura 35 l	Item no. 501138	
Container fully hot galvanised for Vasura 35 l	Item no. 501300	
Container, colour coated for Vasura 35 l	Item no. 51437..*	
Container for ash tray, fully hot galvanised for Vasura 35 l	Item no. 501301	
Container for ash tray, fully colour coated for Vasura 35 l	Item no. 51438..*	

SPARE PART	VASURA 60	
Ash tray insert completely made of aluminium for Vasura 60 l	Item no. 5005045	
Opening insert completely made of stainless steel for Vasura 60 l	Item no. 5005087	
Lid with spacer, fully hot galvanised.	Item no. 5003668	
Lid with spacer, fully colour coated.	Item no. 51392..*	
Container fully hot galvanised for Vasura 60 l	Item no. 5000325	
Container, colour coated for Vasura 60 l	Item no. 51259..*	
Container for ash tray, fully hot galvanised for Vasura 60 l	Item no. 5005043	
Container for ash tray, fully colour coated for Vasura 60 l	Item no. 53722..*	

VANDALISM

Optimal protection



IS IT NECESSARY?



NOT WITH ERLAU!



OUR LITTER BINS DEFY VANDALISM:

During manufacture, we make sure that they are optimally protected against graffiti and excessive force.

Our metal litter bins come with a graffiti-resistant coating thanks to which graffiti can be easily wiped off with biodegradable paint removers. The up to 4 mm thick wall can withstand strong external shocks.


The plastic in our plastic rubbish bins is solvent and impact resistant: The appearance is maintained even in case of vandalism. Thanks to the solid-colored plastic, scratches remain invisible.

WITH ASH TRAY TOPSY 90 I

MOBILE

VARIETY OF COLORS

- Made of extremely durable, heat and cold-resistant, completely solid colour Durapol® polyethylene.
- With a 90-litre volume, this model offers plenty of holding capacity.
- To empty it, you just need to insert a key and the whole, lightweight, coloured upper part is lifted; then, also the galvanised inner container can be lifted by the ergonomic handles from the large bottom base easily and effortlessly.



TOPSY	
Height	1,000 mm
Diameter	545 mm
Weight	15 kg (without additional equipment)
Ground contact	Mobile
Colour variant red with three-piece ash tray	
Item no.	5006174
Colour variant basalt grey with two-piece ash tray	
Item no.	5006175

TOPSY – COLOUR VARIANTS

Red	Basalt grey
-----	-------------

COMMUNITY STEEL INNER CONTAINER

- The outer shell made of extremely durable, heat and cold resistant, completely solid colour Durapol® polyethylene includes a galvanised steel inner container provided with grab handles and with a 110-litre capacity.
- For emptying, it is sufficient to open the 3-key lock and lift the upper part.



COMMUNITY	
Height	1,072 mm
Diameter	500 mm
Colour	Millstone
Weight	15.5 kg (without additional equipment)
Item no.	5007030

- The new Bärchen litter bin has been created to teach children order, cleanliness and environmental awareness.
- Bärchen is especially suitable for kindergartens, schools, amusement parks, animal parks, playgrounds, swimming pools and hospitals.

STANDARD MODELS

- Lockable door in the rear wall.
- Galvanised steel inner container.
- Shaped bottom plate for easier inner container positioning.


CHILD-FRIENDLY DESIGN BÄRCHEN 52 I

LOCKABLE DOOR

STEEL INNER CONTAINER

BASEPLATE

BÄRCHEN	
Outer container colour	Brown
Maximum width	762 mm
Height	941 mm
Depth	740 mm
Capacity	52 litres
Weight	20 kg (inner container included)
Item no.	5004948



METAL LITTER BIN ELECTRA

NEW

- Front plates: extruded Vandalex; frame: Armortec-coated steel; Fixings: stainless steel
- Contemporary design; anodising and polishing finish
- 100% recyclable
- Narrow design, sturdy construction
- Large openings
- Continuous door; toggle lock with magnetic technology
- Solid steel inner container or bag holder
- Open sides for content control
- Foot for floor fixing



ELECTRA

Dimensions (W x D x H) 1010 x 450 x 310 mm


Colour "Electra grey" front plate, umber grey frame

Capacity Container: 65 l, steel inner container: 60 l

Weight 45 kg

Item no. with inner container: 5007282

Item no. with bag holder: 5007283



- Made of extremely durable, heat and cold-resistant, completely solid colour Durapol® polyethylene.
- For easy storage and/or transport, the shape of the Luna® litter bin allows several containers to be stacked into each other.
- Standard models: Throwin symbol, garbage bag fastening system, lid

STACKABLE LUNA 60 I

BAG HOLDER

GROUND MOUNTING BOLTS

WITH LID

LUNA		
Dimensions (W x D x H) 566 x 443 x 945 mm		
Diameter	500 mm	
Capacity	60 litres	
Colour	Millstone	
Weight	7 kg	
Ground contact	Ground fastening bolts	
Item no.	5006954	



- Slender foot area
- Garbage bag fastening system

- Made of extremely durable, heat and cold-resistant, completely solid colour Durapol® polyethylene and highly polished stainless steel.
- The two galvanised steel inner containers, a five-litre one for the ash tray and a 35-litre one for residual waste, are easily accessible via the front door provided with a snap lock.

MOBILE INTEGRO CITY 35 I

FRONT DOOR WITH SNAP DOOR

ASH TRAY PERFORATED PLATE

INTEGRO CITY		
Colour	Millstone	
Dimensions (H x W x D): 1,150 x 440 x 350 mm		
Weight	19 kg (without additional equipment)	
Ground contact	Mobile	
Item no.	5006542	



Ash tray perforated plate



Standard throw-in opening



WASTE COLLECTION TROLLEY SKIPPER

SOLID RUBBER TYRES


GARBAGE BAG FASTENING SYSTEM

FASTENING DEVICE

- Front fastening device for storing equipment.
- Front hooks for hanging and storing devices.
- Solid rubber tyres
- Sturdy front wheels (help to climb curbs).
- Reflectors
- Stainless steel garbage bag fastening system.
- Stainless steel metal handles.
- Stainless steel wheel axle.
- Bend-proof collecting container: Durapol®.
- Lid for Bend-proof collecting container: Durapol®.
- Outer shell: Durapol®.



SKIPPER	
Colour	Dark grey
Capacity	70 litres
Dimensions (L x W x H)	1200 x 630 x 950 mm
Weight	18 kg
Item no.	5006978



- The design of the Skipper cleaning and maintenance trolley is flexible and suitable for a variety of tasks: sweeping, cleaning up, transport and storage of equipment
- Skipper is very easy to handle and climbs curbs without difficulty.
- There are two models to choose from: one with bend-proof collecting container (including bag holder as standard) or one with only the bag holder (without collecting container).



STANDARD MODELS

- Front fastening device.
- Sturdy rubber tyres.
- Two collecting containers.
- Sturdy front wheels (help to climb curbs).
- Reflectors
- Broom clamps
- Garbage bag rings in a container.
- Frame: coated steel.
- Main container: Durapol®.
- Main lid: Durapol®.
- Front fastening device: Durapol®.
- Tool box: Duraplus®.
- Tool box lid: Durapol®.

 WASTE COLLECTION TROLLEY
SPACE LINER

FASTENING DEVICE

SOLID RUBBER TYRES

SPACE LINER	
Absolute length	1760 mm
Absolute height	970 mm
Container height	680 mm
Weight	53 kg
Capacity	2 x 100 litres
Ground contact	Solid rubber tyres
Green colour variant	
Item no.	5006977



WASTE CONTAINER



- Space Liner keeps excellent balance and is very easy to handle.
- It is equipped with a front fastening device. This is an easily accessible and safe device for storing equipment.

ASH TRAY SMOKY

PERMANENT GROUND MOUNTING,
GALVANISED INNER CONTAINER,
CIGARETTE BUTT PERFORATED PLATE

- A suitably designed cigarette unit, for use in entrance areas or smoking areas.
- Bolts for permanent floor installation on concrete or cobblestone.
- Choice between two models: One made of dark grey, polyester coated steel, and the other made of stainless steel.
- Cigarette logo
- Galvanised steel inner container.
- Stainless steel cigarette butt perforated plate.



SMOKY	
Dimensions (H x W x D): 1,000 x 207 x 250 mm	
Weight	13.5 kg
Capacity	4 litres
Colour variant black-grey, polyester coated steel	
Item no.	501083
Colour variant stainless steel, rustproof	
Item no.	501602



- the 800-litre grit bin Orbistor is made of Durapol®, a material ensuring optimal stability.
- In addition, the joint and continuous hinge is equipped with a special reinforcement.
- Due to the materials it is made of, the grit bin is impact-proof, weather-resistant and easy to clean.

GRIT BIN
ORBISTOR 800 ltr

OPTIMAL STABILITY

REINFORCED HINGES

WEATHERPROOF

ORBISTOR		
Colour	Millstone	
Height	1,075 mm	
Diameter	1,280 mm	
Capacity	800 litres	
Item no.	5002464	



MODERN MOBILITY.

A system for parking.



BICYCLE PARKING SYSTEMS

PRODUCT OVERVIEW



PEDALO

P. 196 – 197



BERLIN PARKING RAILS

P. 198



VELOFOX

P. 199



VIOLA

P. 200

SPACE FOR 5 TO 500 BICYCLES

TIMELESS DESIGN

SCRATCH PROTECTION FOR VALUABLE BICYCLES

MAINTENANCE FREE + SELF CLEANING

10 YEAR RUSTPROOFING GUARANTEE


GERMAN QUALITY AND DESIGN


BICYCLE STANDS PEDALO


HOT GALVANISED / POWDER
COATED
REPAIR SET


- Bicycle stands made of curved steel tube, dia. 48 mm, with plastic gripper part for locking the bicycle frame.
- The steel tube is fitted with a steel ring to be used with a cable, chain or U-lock for additional anti theft protection.
- Available as a duo for two bicycles.
- Completely hot galvanised or hot galvanised and powder coated.


FIXED WITH GROUND PLATE OR FOR CONCRETE EMBEDMENT




	PEDALO DUO	
	Dimensions (W x D x H) 630 x 139 x 632 mm	
	Ground contact	Fixed for concrete embedment
	Hot galvanised	Item no. 5323717
	Powder coated	Item no. 53237..*



	PEDALO DUO	
	Dimensions (W x D x H) 630 x 139 x 628 mm	
	Ground contact	Fixed with ground plate
	Hot galvanised	Item no. 5183817
	Powder coated	Item no. 51838..*



	PEDALO REPAIR SET ¹⁾	
	Composed of:	
	■ Anti theft protection	■ Clamping part
	■ Compensating element	■ Dowel pin
Hot galvanised	Item no.	5330817
Powder coated	Item no.	53308...*




1) For models without anti theft protection welded to bicycle stands




PEDALO

ARRANGEMENT EXAMPLES


CIRCULAR ARRANGEMENT




ANGULAR ARRANGEMENT



ARRANGEMENT ALONG THE WALL



STRAIGHT ARRANGEMENT



BICYCLE STANDS


BERLIN PARKING RAILS

HOT GALVANISED

POWDER COATED

- Bicycle stands made of curved steel tube, dia. 48 mm, with plastic gripper part for locking the bicycle frame.
- For fixing two bicycles at a distance of 400 mm.
- The bracket provides an additional anti theft protection by means of a cable, chain or U-lock.
- Completely hot galvanised with powder coated option.

FIXED WITH GROUND PLATE OR FOR CONCRETE EMBEDMENT



BERLIN PARKING RAILS FIXED FOR CONCRETE EMBEDMENT

Dimensions (W x D x H) 780 x 380 x 800 mm


Ground contact Fixed for concrete embedment

Hot galvanised

Item no. 5228617

Powder coated

Item no. 52286..*



BERLIN PARKING RAILS FIXED WITH GROUND PLATE

Dimensions (W x D x H) 780 x 380 x 800 mm

Ground contact Fixed with ground plate

Hot galvanised

Item no. 5219617


Powder coated


Item no. 52196..*



- Bicycle stands made from round tube, dia. 42 mm.
- For fixing two bicycles at a distance of 375 mm.
- With two loops for gently guiding and fixing the front wheel.
- Central bracket for additional anti theft protection of front wheel and frame.
- Completely hot galvanised or powder coated.

FIXED WITH GROUND PLATE OR FOR CONCRETE EMBEDMENT





	VELOFOX FIXED FOR CONCRETE EMBEDMENT	
	Dimensions (W x D x H) 826 x 475 x 850 mm	
	Ground contact	Fixed for concrete embedment
Hot galvanised	Item no.	5236817
Powder coated	Item no.	52368..*

	VELOFOX FIXED WITH GROUND PLATE	
	Dimensions (W x D x H) 826 x 475 x 850 mm	
	Ground contact	Fixed with ground plate
Hot galvanised	Item no.	5228017
Powder coated	Item no.	52280..*

 BICYCLE STANDS
VELOFOX

HOT GALVANISED

POWDER COATED




BICYCLE STANDS VIOLA

HOT GALVANISED
POWDER COATED

- Trapezoid-shaped bicycle stands made of round tube, dia. 42 mm.
- Completely hot galvanised and powder coated.
- Design line fully compatible with planters and bollards.

FIXED WITH GROUND PLATE OR FOR CONCRETE EMBEDMENT



VIOLA FIXED FOR CONCRETE EMBEDMENT

Dimensions (W x H) 690 mm x 800 mm


Ground contact Fixed for concrete embedment

Hot galvanised

Item no. 5346917

Powder coated

Item no. 53469..*



VIOLA FIXED WITH GROUND PLATE

Dimensions (W x D x H) 690 x 150 x 800 mm

Ground contact Fixed with ground plate

Hot galvanised

Item no. 5346817

Powder coated

Item no. 53468..*





SAFETY AND DESIGN

Highlighting, securing, and
planting in a timeless design.





BOLLARDS & PLANTERS

PRODUCT OVERVIEW



BOLLARD PABLO

P. 204



PLANTER FLORINA

P. 205

TIMELESS DESIGN

INNUMERABLE COMBINATIONS

LIMITATION AND PROTECTION

MAINTENANCE FREE AND SELF CLEANING

10 YEAR RUSTPROOFING GUARANTEE

BOLLARD PABLO


HOT GALVANISED +
POWDER COATED

- Trapezoid bollard made of round tube, dia. 42 mm.
- With wire mesh insert, mesh 15 x 10 mm, wire thickness 3.5 mm.
- Completely hot galvanised and powder coated.

FIXED WITH GROUND PLATE

FIXED FOR EMBEDDING IN CONCRETE

REMOVABLE




BOLLARD PABLO

Dimensions (W x H) 321 mm x 900 mm

Ground contact Fixed with ground plate

Item no. 53472..*




BOLLARD PABLO

Dimensions (W x H) 321 mm x 900 mm

Ground contact Fixed for embedding in concrete

Item no. 53473..*




BOLLARD PABLO

Dimensions (W x H) 321 mm x 900 mm

Ground contact Removable

Item no. 53474..*



- Trapezoid planter made of round tube, dia. 42 mm.
- With wire mesh insert, mesh 15 x 20 mm, wire thickness 3.5 mm.
- Vortex sintered with polyamide Rilsan, coating at least 350 µm.
- Internal container in galvanised steel sheet, powder coated.
- Dimensions: low, high.

MOBILE WITH GROUNDING CLIPS

PLANTER FLORINA

HOT GALVANISED +
POWDER COATED





PLANTER FLORINA, LOW

Dimensions (W x D x H) 762 x 780 x 434 mm

Ground contact Mobile with grounding clips

Item no. 53471..*



* Please add the colour number (listed below) as the last two digits of the item number:

VITAGARDEN®

The mobile sensory garden for the whole year.



VITAGARDEN®

ON A TERRACE – ON A BALCONY
IN A WINTER GARDEN – IN A LOUNGE AREA IN A
LIVING AREA – IN A CARE CENTRE
IN A NURSING BED

THE MOBILE SENSORY GARDEN

- **VitaGarden®**, the mobile sensory garden for all seasons, combines aesthetics, design, ergonomics and functionality into a medium of individual feel-good atmosphere.
- **VitaGarden®** also allows mobility-impaired people as wheelchair users and bedridden patients to engage in therapeutically valuable gardening activities through a multifaceted sensory experience.
- **VitaGarden®** activates all areas of perception and stimulates primary body and movement experiences.
- **VitaGarden®** offers the possibility to create individual nonverbal communication among people whose activity is restricted due to impaired mobility, or whose ability to perceive and communicate is degraded such as
 - People with dementia
 - Individuals with multiple disabilities
 - Patients with craniocerebral trauma
 - People with hemiplegia, apallic or comatose syndrome
- **Thanks to VitaGarden®**, these people can access their environment, approach fellow human beings and enjoy a new life quality.

REFERENCES

- Stuttgart / AWO Senior Centre Salzäcker
- Mannheim / ThomasHaus Life Centre for Seniors
- Augsburg / Vitalis Senior Care Haus Abraham
- Berlin / Theodor-Wenzel-Werk
- Aachen / Luisenhospital
- Paderborn / LWL-Klinik
- Offenbach / Anni –Emmerling-Haus
- Esslingen / Katharinenstift
- Ingolstadt / Phönix Senior Centre Haus Graf Tilly
- Münster / Evangelisches Perthes-Werk e. V.

ENHANCES VITALITY

PROMOTES MUTUAL CONTACT

IMPROVES BODY PERCEPTION

10 YEAR RUSTPROOFING GUARANTEE





VITAGARDEN® – THE MOBILE SENSORY GARDEN

Also allows mobility-impaired people such as wheelchair users and bedridden patients to engage in therapeutically valuable gardening activities through a multifaceted sensory experience.

FUNCTION

- Mobile thanks to 4 rollers, all fitted with locking devices.
- Wheelchair accessibility.
- Grab rails for supporting oneself, pulling up and holding at the front of VitaGarden®.
- Draining device for discharging excess water.
- The container is fitted with drains which can be also used as water reservoirs.

MATERIAL

The basic frame consists of a bent tubular steel construction having a 34 mm diameter which ensures optimum ergonomics in the grip area and high stability.

A high quality plastic is used for the containers.

The steel components are powder coated thus providing warm surfaces and an especially pleasant feel.

DIMENSIONS:




L x W x H: 1,066 x 770 x 805 mm

VOLUMES

The tub has a usable capacity of approx. 70 l.

WEIGHT

The basic frame total weight is approx. 25 kg with an empty tub.



VITAGARDEN®

ON A TERRACE – ON A BALCONY

IN A WINTER GARDEN – IN A LOUNGE AREA

IN A LIVING AREA – IN A CARE CENTRE

IN A NURSING BED

**VITAGARDEN® PROMOTES:**

- Body awareness
- Development of body consciousness
- Relaxation and wellbeing
- Getting in touch with each other
- Autonomy and responsibility
- All senses

VITAGARDEN®

Colour Frame: charcoal RAL 7030; tub: coloured

Item no. 5374204

STAYING MOBILE.

VitaGym® – Your therapy and leisure fitness path.





VITAGYM®

FITNESS EQUIPMENT



VITAGYM® – FITNESS EQUIPMENT BRINGING DIFFERENT GENERATION
CLOSER TOGETHE, IN ERLAU QUALITY AND FUNCTIONALITY.
AS ENJOYMENT OF EXERCISE KNOWS NO AGE.



VITAGYM®

FITNESS EQUIPMENT



A SYSTEM FOR MOBILITY. INDIVIDUAL
FITNESS PATH CONCEPTS FOR TOWN AND
COUNTRY, OLD AGE CENTRES, CLINICS,
CARE CENTRES, LEISURE AND TOURISM
FACILITIES.



VITAGYM® FITNESS EQUIPMENT

More vitality and joy of living at any age...

With proven VitaGym® fitness equipment, adults of all ages can maintain and even improve their vitality and zest for life in a comfortable and gentle manner.

WHO IS VITAGYM® SUITABLE FOR AND WHY?

■ Municipalities or institutions of the public sector

VitaGym® promotes social cooperation between generations, counteracts the loneliness of those living alone, promotes the health of citizens and also encourages people reluctant to do exercise.

■ Facilities for the elderly

VitaGym® promotes and preserves independence, reduces care costs, helps preventing people from falling, counteracts lethargy and depressive mood and strengthens the sense of community.

■ Clinics or health resorts

VitaGym® promotes the mobilisation of patients, motivates them to do exercise in the fresh air, and fosters positive mood and regeneration.

■ Leisure, catering or tourism farms

VitaGym® represents a new attraction, addresses both adults and seniors, is a good addition to services for children and makes your spa facilities outwardly visible.

VitaGym numbers® - a fitness path in steady progress
In public facilities or hotels, such as sensory, movement and therapy gardens in outside areas of hospitals and nursing homes. VitaGym - Always on the move.

FINANCING

For financing your VitaGym fitness path, we offer various alternatives. You can implement a fitness path including outdoor furniture starting with just 190.- euros a month. In this case you can choose between hire purchase and leasing. Also in case of procurement from donations, endowments and grants, we are happy to help.

Enquire about the many possibilities and a right solution for you.

REFERENCES

- Dresden/ AWO Nursing Home Dresden-Cossebaude
- Hamburg / Multigenerational Playground in Hammer Park
- Dortmund / Hauptfriedhof
- Wiesloch / Nordbaden Psychiatric Centre
- Bad Bellingen / Motorway Restaurant
- Bad Tölz / Josefistift
- Kaiserslautern / Park in Donnerbergstraße
- Stuttgart-Giebel / Bau- und Heimstättenverein Stuttgart eG
- Bad Wörishofen / Kneipp-Bund e. V.
- Essen / Paulinenstraße City Park
- Marsberg / LWL Clinic
- Duisburg / Johanniter-Stift Duisburg-Nord


Recommended by

Kneipp
aktiv & gesund

Excellent



Demografie Exzellenz
Award 2011



VITAGYM®

FITNESS EQUIPMENT

PRODUCT OVERVIEW



PUSHGYM

P. 216



PULLGYM

P. 217



BALANCEGYM

P. 218



STEPGYM

P. 219



BACKGYM

P. 220



TRACKGYM

P. 221



TWISTGYM

P. 222



PEDALGYM

P. 223



ROTOGYM

P. 224



STRETCHGYM

P. 225



MOTOGYM

P. 226



MOBIGYM

P. 227



VITAPLAY LABYRINTH

P. 228



VITAPLAY TIC TAC TOE

P. 229



INFORMATION TABLE

P. 230



ILLUSTRATED TABLE

P. 230

THE MOST MODERN FINISHING + SURFACE TREATMENT

As a leading manufacturer of outdoor furniture, we make the most of our 180-year-old continuously refined potential of technical possibilities and human innovative force.



INNOVATION THROUGH THE LATEST FINISHING TECHNOLOGY

In this process, high flexibility and top, consistent quality require an equally high level of investment. In 2009, we expanded our capacity to one of the most modern, fully automatic coating systems. It allows us to treat furniture with a length of 3.20 m and a surface layer of 80 to 1000 µm.

The advantages for our customers are obvious: Optionally, the vortex sintering method, as

electrostatic powder coating, or the combination of both processes - parallelly arranged coating lines enable faster and more efficient throughput and colour change times, as well as higher quality in the coating process.

Shorter waiting and delivery times come in very useful to our customers.

OUR LARGE COATING PLANT AT A GLANCE

COATING VARIANTS:	<ul style="list-style-type: none"> • Vortex sintering with polyamide 11 (RAL 6009/7016/9006/9010 and DB703) • Electrostatic powder coating of polyester, polyamide 11, epoxide, polyurethane and other combinations • Vortex sintering + electrost. Powder coating in all colours with epoxy bonding agents
MAXIMUM PIECE SIZE:	<ul style="list-style-type: none"> • Vortex sintering + overcoating L x W x H 2,500 x 800 x 1,500 mm • Primer + topcoat L x W x H 3,200 x 800 x 1,500 mm
COATING THICKNESS:	<ul style="list-style-type: none"> • Vortex sintering > 350 µm – 800 µm • Electrostatic coating 80 µm – < 250 µm • Combination of both methods 400 µm – 1000 µm
EQUIPMENT:	<ul style="list-style-type: none"> • 1 vortex sintering furnace with pre-heating unit, sintering furnace, post-heating zone (indirect heating, cooling zone) • 5 Sinter pools, air circulation • 2 baking ovens for the bonding agent and decorative coating (indirect heating) • 3 electrostatic fully automatic coating booths with 10 coating guns (automatic part recognition) and powder recycling. Of these, 2 are coating booths for the bonding agent and 1 is a coating booth for decorative coating • 2 separate conveyor systems (vortex sintering cyclic operation), continuous operation in case of electrostatic coating • 1 transfer unit for the implementation of a vortex sintering line on the electrostatic coating line
TEMPERATURES:	<ul style="list-style-type: none"> • Vortex sintering furnace max. 380°C • Baking furnace for bonding agent/decorative coating max. 240°C
THROUGHPUT:	<ul style="list-style-type: none"> • Vortex sintering + vortex sintering and electrostatic decorative coating, 32 crossbars per hour • Electrostatic coating 1 – 2 m/min, ca. 18 – 36 crossbars per hour • Piece weight max. 100 kg



GUARANTEED QUALITY

ERLAU guarantee terms:

Erlau AG guarantees its hot galvanised steel meshes against rusting from inside to outside for 10 years. Damage due to external effects, including impact of foreign bodies, scratches, scuffs, bumps, dents, abrasive or solvent-based products is not covered by the guarantee. Damage due to natural wear and tear is also excluded. The rustproofing guarantee is void when the equipment is installed in a saline or chlorine-containing atmosphere, or when it comes into contact with road salt.

Erlau AG reserves the right to limit its rustproofing guarantee in relation to the installation site. The client agrees to inform the guarantee issuer about the installation site and any foreseeable special loads the equipment may be subject to.

Prerequisites for this guarantee are regular visual inspections and any resulting damage repairs. Damage to the paint and zinc coating must be professionally repaired. Each repair must be documented. The rustproofing guarantee does not apply to a radius of 30 cm around the repaired area. At the first indication of any rusting from inside to outside, e.g. if bubbles appear, the guarantee issuer must be immediately informed and given the opportunity to take action to prevent the damage from spreading or worsening, although he/she is obliged to do so.

The manufacturer guarantees its pagwood for 5 years. Furniture exposed to the weather must be serviced regularly as per our instructions. This shall also be documented.

The guarantee does not cover damage and abnormal wear due to external causes or improper use.

The guarantee only covers the repair or replacement of damaged parts including transport costs, and the wages of a specialist within the normal range. The guarantee issuer is not obliged to do the work itself but may have it done by a third party of its choice.

Should the work not be done or contracted by the guarantee issuer, it must be approved by the latter by submitting a cost estimate. Improper use, improper assembly/disassembly, as well as improper transport and storage will void the guarantee. The guarantee issuer must be informed if the equipment is moved to another site or sold. It reserves the right to restrict or even withdraw the guarantee in such cases.

Further guaranty and damage claims do not exist.